

EN - EU Declaration of Conformity



Radio Equipment: TM9300/TM9400
Name and address of the manufacturer: Tait International Ltd
245 Wooldridge Road
Christchurch
New Zealand

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Object of the declaration: TMBH7A (450-520 MHz)
The object of the declaration described above is in conformity with the relevant Union harmonisation legislation: 2014/53/EU Radio Equipment Directive (RED)
2012/19/EU Waste Electrical and Electronic Equipment Directive (WEEE)
2011/65/EU Restriction of Hazardous Substances (RoHS)

Relevant harmonised standards used: **Directive 2014/53/EU Art. 3.2**
EN300 086 V2.1.2
EN300 113 V2.2.1
EN300 219 V2.1.1
EN300 328 V2.2.2
EN303 413 V1.1.1

Directive 2014/53/EU Art. 3.1b
EN301 489-1 V2.2.0
EN301 489-5 V2.2.0
EN301 489-17 V3.2.0
EN301489-19 V2.1.0

Directive 2014/53/EU Art. 3.1a
EN62368-1:2014+A11:2017

Description of accessories which allow the radio equipment to operate as intended: None

Description of software which allows the radio equipment to operate as intended: The installed software is under the full control of the manufacturer with no access by the user and is in compliance with the relevant Directives.

Signed for and on behalf of Tait International Limited:

Linda White
Standards & Regulatory Manager
Tait International Limited
Christchurch,
New Zealand
14/11/2023

The listed accessories are approved for use with the object of this declaration.

Note: x denotes different regulatory approvals, suppliers and/or brands.

| Part Number | Description (for information only) |
|----------------------|--|
| Interface Box | |
| T02-00088-BAAA | TM93/94 Hand Held Control Head Interface Box |
| T02-00088-AAAA | TM93/94 Control Head Interface Box (Power/Dual Head) |
| T02-00088-CAAA | TM93/94 Remote Control Head Extender Unit |

Accessories connected to control head connector

| | |
|----------------|---|
| T02-00071-xxxx | TM9300/TM9400 Large Control Head Local Black |
| T02-00076-Axxx | TM9300/TM9400 Small Control Head Local Black (two digit low tier version) |
| T02-00076-Bxxx | TM9300/TM9400 Small Control Head Local Black (three digit low tier version) |
| T02-00081-AAAA | TM93/94 Control Head Remote Body End Multi Head Terminated+Bias |
| T02-00081-BAAA | TM93/94 Control Head Remote Body End Multi Body Terminated+Bias |
| T02-00081-BBAA | TM93/94 Control Head Remote Body End Multi Body Term No Bias |
| T02-00092-xxxx | TCH3 Local Control Head 8Ky |
| T02-00094-xxxx | TCH4 Remote Control Head 9Ky |
| T02-00096-xxxx | TCH6 Remote Control Head 21Ky |

Accessories to large control head

| | |
|----------------|--|
| T02-00083-AAAA | TM93/94 Large Control Head Remote Head End Terminated |
| T02-00083-ABAA | TM93/94 Large Control Head Remote Head End Un-Terminated |

Accessories connected to Hand Held Control Head Interface Box

| | |
|----------------|---|
| T02-00073-xxxx | TM9300/TM9400 Hand Held Control Head |
| TMAA10-10 | Remote PTT+ Microphone for Handheld Control Head Breakout Box |

Accessories to Speaker terminals

| | |
|----------------|---|
| TMAA10-03A | 10W External Speaker for 25W Radio Unbadged |
| T02-00004-0206 | 15W TM Rugged speaker |
| T02-00004-0201 | TM Horn Speaker Kit 112dB SPL For 25W Radio |

Accessories connected to Axillary connector

| | |
|----------------|--|
| T02-00005-ADCA | TM9300/9400 Remote PTT + Microphone |
| T02-00005-ADAA | TM Handsfree |
| TMAA05-01 | 16HVS GPS Receiver by Garmin or equivalent alternative |
| TMAA05-05 | GPS receiver DB15 Wisys WS5012 |
| TMAA05-06 | GPS receiver DB15 Through hole mount |

| | |
|----------------|---|
| T02-00025-1001 | GPS receiver by F-tech or equivalent alternative |
| T02-00025-1002 | GPS receiver Thru-hole mount by Tallysman or equivalent alternative |
| T02-00025-1003 | GPS receiver Mag-mount by Tallysman or equivalent alternative |

Accessories connected to Internal options connector

| | |
|----------------|--|
| T02-00007-ABAA | TM Line Interface Board TDMA |
| T02-00007-BAAA | TM RS232 Interface Board TDMA |
| XA3140-01-PBA | PBA Vehicle PA Options Board |
| XA3140-21-PBA | PBA TA3140 Desktop Dual Unbalanced Board |
| XA3140-23-PBA | PBA TA3140 Desktop Balanced Audio plus Headset |
| TA3140-07 | Rx Low pass filter board |
| XA3140-07-PBA | PBA TA3140 desktop Balanced Audio Headset Receiver LPF |
| XA3423-01-PBA | PBA TMB enhanced iBus + I/F |
| XA3290-01-PBA | PBA ACC board line interface TDMA Raytheon |
| XMAA01-0100AC | PBA TMA line interface w/o PTT delay RS422 |
| XMAA01-0100AD | PBA TMA line interface w/o PTT delay Lothian |
| XA2675-02-PBA | PBA TM8K Dublin Bus RS-485 Interface |

Accessories connected to microphone port of control/remote head or interface box

| | |
|----------------|--------------------------------------|
| T02-00005-AAAA | TM9300/9400 Standard Microphone TDMA |
| T02-00005-AAAB | TM Standard Microphone TDMA Unbadged |
| T02-00005-ABAA | TM9300/9400 Keypad Microphone TDMA |
| T02-00005-ABBA | TM Keypad Microphone TDMA 3m Cord |
| T02-00005-ABAB | TM Keypad Microphone TDMA Unbadged |
| T02-00004-0101 | Telephone Style Handset |
| T02-00005-ACAA | TM9300/9400 Desktop Microphone |

Cables

| | |
|----------------|---|
| TMAA04-05 | 4m (13.12ft) Ignition Sense cable |
| TA3101-01 | Cable assembly 15W plug-15W socket Ign+IO |
| TMAA20-03 | Cable 25W Radio Power Connector to Banana Plug |
| TMAA21-02 | Cable T2000 Power Socket to TM8000 Power Plug |
| T03-00118-0601 | USB to RJ11 Serial Programming Cable |
| T02-00009-0301 | TM Aux Port 2 way breakout cable |
| T02-00034-ABAA | Cable Breakout Telemetry/Horn |
| TMAA03-44 | Cable Kit Ignition & External Alarm TAM Utility |
| TMAA04-09 | Cable Breakout Combiner Handheld Control Head |

| | |
|----------------|--|
| TMAA04-10 | Cable Breakout Extension Handheld Control Head |
| TMAA04-11 | Cable Ignition Sense Handheld Control Head |
| T02-00009-0201 | Cable Shielded 8 Core RJ45M/F Ext 1.6m (5ft) |
| T02-00009-0202 | Cable Shielded 8 Core RJ45M/F Ext 3m (10ft) |
| T02-00009-0203 | Cable Shielded 8 Core RJ45M/F Ext 6m (20ft) |
| T02-00009-0204 | Cable Shielded 8 Core RJ45M/F Ext 9m (30ft) |

Cradle and kit

| | |
|----------------|--|
| TMAA03-01 | U-Cradle Install Kit for 25W Radio BNC |
| TMAA03-06 | Desktop Power Supply U-Cradle inst Kit for 25W radio |
| TMAA03-09 | Desktop Power Supply Plinth inst Kit for 25W Radio |
| T02-00026-1002 | Kit Mobile Cable MUHF 25W |
| T02-00026-1001 | Kit Mobile Cable BNC 25W |
| TMAA11-01 | U-Cradle Re-Install Kit (x3 sets) |
| TMAA03-18 | Slide In Cradle Install Kit for 25W Radio BNC |
| TMAA03-02 | Security Cradle |
| TMAA30-06 | Internal Options Connector Kit |

FR - Déclaration UE de Conformité

Equipement radio: TM9300/TM9400
Nom et adresse du fabricant: Tait International Ltd
245 Wooldridge Road
Christchurch
New Zealand

La présente déclaration de conformité est établie sous la seule responsabilité du fabricant.

Objet de la déclaration: TMBH7A (450-520 MHz)
L'objet de la déclaration décrit ci-dessus est conforme à la législation d'harmonisation de l'Union applicable: 2014/53/EU Radio Equipment Directive (RED)
2012/19/EU Waste Electrical and Electronic Equipment Directive (WEEE)
2011/65/EU Restriction of Hazardous Substances (RoHS)

Normes harmonisées pertinentes utilisées: **Directive 2014/53/EU Art. 3.2**
EN300 086 V2.1.2
EN300 113 V2.2.1
EN300 219 V2.1.1
EN300 328 V2.2.2
EN303 413 V1.1.1

Directive 2014/53/EU Art. 3.1b
EN301 489-1 V2.2.0
EN301 489-5 V2.2.0
EN301 489-17 V3.2.0
EN301489-19 V2.1.0

Directive 2014/53/EU Art. 3.1a
EN62368-1:2014+A11:2017
EN50566:2017

Description des accessoires permettant l'équipement radio pour fonctionner comme prévu: Aucun

Description du logiciel, qui permet équipement radio pour fonctionner comme prévu: Le logiciel installé est sous le contrôle total du fabricant sans accès par l'utilisateur et est conforme aux directives pertinentes.

Signé pour et au nom de Tait International Limited:



Linda White
Standards & Regulatory Manager
Tait International Limited
Christchurch,
New Zealand
14/11/2023

Les accessoires listés sont approuvés pour une utilisation avec l'objet de cette déclaration.

'x' désigne différentes approbations réglementaires, fournisseurs et/ou marques.

| Numéro de Pièce | Description (pour information seulement) |
|----------------------------|--|
| Boîtier d'interface | |
| T02-00088-BAAA | TM93/94 Hand Held Control Head Interface Box |
| T02-00088-AAAA | TM93/94 Control Head Interface Box (Power/Dual Head) |
| T02-00088-CAAA | TM93/94 Remote Control Head Extender Unit |

Accessoires connectés au connecteur de la tête de commande

| | |
|----------------|---|
| T02-00071-xxxx | TM9300/TM9400 Large Control Head Local Black |
| T02-00076-Axxx | TM9300/TM9400 Small Control Head Local Black (two digit low tier version) |
| T02-00076-Bxxx | TM9300/TM9400 Small Control Head Local Black (three digit low tier version) |
| T02-00081-AAAA | TM93/94 Control Head Remote Body End Multi Head Terminated+Bias |
| T02-00081-BAAA | TM93/94 Control Head Remote Body End Multi Body Terminated+Bias |
| T02-00081-BBAA | TM93/94 Control Head Remote Body End Multi Body Term No Bias |
| T02-00092-xxxx | TCH3 Local Control Head 8Ky |
| T02-00094-xxxx | TCH4 Remote Control Head 9Ky |
| T02-00096-xxxx | TCH6 Remote Control Head 21Ky |

Accessoires pour grande tête de commande

| | |
|----------------|--|
| T02-00083-AAAA | TM93/94 Large Control Head Remote Head End Terminated |
| T02-00083-ABAA | TM93/94 Large Control Head Remote Head End Un-Terminated |

Accessoires connectés au boîtier d'interface de la tête de commande portable

| | |
|----------------|---|
| T02-00073-xxxx | TM9300/TM9400 Hand Held Control Head |
| TMAA10-10 | Remote PTT+ Microphone for Handheld Control Head Breakout Box |

Accessoires pour bornes d'enceintes

| | |
|----------------|---|
| TMAA10-03A | 10W External Speaker for 25W Radio Unbadged |
| T02-00004-0206 | 15W TM Rugged speaker |
| T02-00004-0201 | TM Horn Speaker Kit 112dB SPL For 25W Radio |

Accessoires connectés au connecteur axillaire

| | |
|----------------|--|
| T02-00005-ADCA | TM9300/9400 Remote PTT + Microphone |
| T02-00005-ADAA | TM Handsfree |
| TMAA05-01 | 16HVS GPS Receiver by Garmin or equivalent alternative |
| TMAA05-05 | GPS receiver DB15 Wisys WS5012 |
| TMAA05-06 | GPS receiver DB15 Through hole mount |

| | |
|----------------|---|
| T02-00025-1001 | GPS receiver by F-tech or equivalent alternative |
| T02-00025-1002 | GPS receiver Thru-hole mount by Tallysman or equivalent alternative |
| T02-00025-1003 | GPS receiver Mag-mount by Tallysman or equivalent alternative |

Accessoires connectés au connecteur d'options internes

| | |
|----------------|--|
| T02-00007-ABAA | TM Line Interface Board TDMA |
| T02-00007-BAAA | TM RS232 Interface Board TDMA |
| XA3140-01-PBA | PBA Vehicle PA Options Board |
| XA3140-21-PBA | PBA TA3140 Desktop Dual Unbalanced Board |
| XA3140-23-PBA | PBA TA3140 Desktop Balanced Audio plus Headset |
| TA3140-07 | Rx Low pass filter board |
| XA3140-07-PBA | PBA TA3140 desktop Balanced Audio Headset Receiver LPF |
| XA3423-01-PBA | PBA TMB enhanced iBus + I/F |
| XA3290-01-PBA | PBA ACC board line interface TDMA Raytheon |
| XMAA01-0100AC | PBA TMA line interface w/o PTT delay RS422 |
| XMAA01-0100AD | PBA TMA line interface w/o PTT delay Lothian |
| XA2675-02-PBA | PBA TM8K Dublin Bus RS-485 Interface |

Accessoires connectés au port microphone de la tête de commande/télécommande ou du boîtier d'interface

| | |
|----------------|--------------------------------------|
| T02-00005-AAAA | TM9300/9400 Standard Microphone TDMA |
| T02-00005-AAAB | TM Standard Microphone TDMA Unbadged |
| T02-00005-ABAA | TM9300/9400 Keypad Microphone TDMA |
| T02-00005-ABBA | TM Keypad Microphone TDMA 3m Cord |
| T02-00005-ABAB | TM Keypad Microphone TDMA Unbadged |
| T02-00004-0101 | Telephone Style Handset |
| T02-00005-ACAA | TM9300/9400 Desktop Microphone |

Câbles

| | |
|----------------|---|
| TMAA04-05 | 4m (13.12ft) Ignition Sense cable |
| TA3101-01 | Cable assembly 15W plug-15W socket Ign+IO |
| TMAA20-03 | Cable 25W Radio Power Connector to Banana Plug |
| TMAA21-02 | Cable T2000 Power Socket to TM8000 Power Plug |
| T03-00118-0601 | USB to RJ11 Serial Programming Cable |
| T02-00009-0301 | TM Aux Port 2 way breakout cable |
| T02-00034-ABAA | Cable Breakout Telemetry/Horn |
| TMAA03-44 | Cable Kit Ignition & External Alarm TAM Utility |
| TMAA04-09 | Cable Breakout Combiner Handheld Control Head |

| | |
|----------------|--|
| TMAA04-10 | Cable Breakout Extension Handheld Control Head |
| TMAA04-11 | Cable Ignition Sense Handheld Control Head |
| T02-00009-0201 | Cable Shielded 8 Core RJ45M/F Ext 1.6m (5ft) |
| T02-00009-0202 | Cable Shielded 8 Core RJ45M/F Ext 3m (10ft) |
| T02-00009-0203 | Cable Shielded 8 Core RJ45M/F Ext 6m (20ft) |
| T02-00009-0204 | Cable Shielded 8 Core RJ45M/F Ext 9m (30ft) |

Berceau et kit

| | |
|----------------|--|
| TMAA03-01 | U-Cradle Install Kit for 25W Radio BNC |
| TMAA03-06 | Desktop Power Supply U-Cradle inst Kit for 25W radio |
| TMAA03-09 | Desktop Power Supply Plinth inst Kit for 25W Radio |
| T02-00026-1002 | Kit Mobile Cable MUHF 25W |
| T02-00026-1001 | Kit Mobile Cable BNC 25W |
| TMAA11-01 | U-Cradle Re-Install Kit (x3 sets) |
| TMAA03-18 | Slide In Cradle Install Kit for 25W Radio BNC |
| TMAA03-02 | Security Cradle |
| TMAA30-06 | Internal Options Connector Kit |

Funkgeräte: TM9300/TM9400
Name und Anschrift des Herstellers: Tait International Ltd
245 Wooldridge Road
Christchurch
New Zealand

Die alleinige Verantwortung für die Ausstellung dieser Konformitätserklärung trägt der Hersteller.

Gegenstand der Erklärung: TMBH7A (450-520 MHz)
Der oben beschriebene Gegenstand der Erklärung erfüllt die einschlägigen Harmonisierungsrechtsvorschriften der Union: 2014/53/EU Radio Equipment Directive (RED)
2012/19/EU Waste Electrical and Electronic Equipment Directive (WEEE)
2011/65/EU Restriction of Hazardous Substances (RoHS)

Einschlägige harmonisierte Normen verwendet: **Directive 2014/53/EU Art. 3.2**
EN300 086 V2.1.2
EN300 113 V2.2.1
EN300 219 V2.1.1
EN300 328 V2.2.2
EN303 413 V1.1.1

Directive 2014/53/EU Art. 3.1b
EN301 489-1 V2.2.0
EN301 489-5 V2.2.0
EN301 489-17 V3.2.0
EN301489-19 V2.1.0

Directive 2014/53/EU Art. 3.1a
EN62368-1:2014+A11:2017
EN50566:2017

Beschreibung des Zubehörs, das es ermöglicht die Funkgeräte zu betreiben als beabsichtigt:

Keiner

Beschreibung der Software, die es ermöglicht, die Funkgeräte für den bestimmungsgemäßen Betrieb:

Die installierte Software unterliegt der vollen Kontrolle des Herstellers ohne Zugriff durch den Benutzer und entspricht den einschlägigen Richtlinien.

Unterzeichnet für und im Auftrag von Tait International Limited:



Linda White
Standards & Regulatory Manager
Tait International Limited
Christchurch,
New Zealand
14/11/2023

Das aufgeführte Zubehör ist für die Verwendung mit dem Gegenstand dieser Erklärung zugelassen.

'x' bezeichnet verschiedene behördliche Zulassungen, Lieferanten und/oder Marken.

| Teilnummer | Beschreibung (nur zur information) |
|--------------------------|--|
| Schnittstellenbox | |
| T02-00088-BAAA | TM93/94 Hand Held Control Head Interface Box |
| T02-00088-AAAA | TM93/94 Control Head Interface Box (Power/Dual Head) |
| T02-00088-CAAA | TM93/94 Remote Control Head Extender Unit |

An Steuerkopfanschluss angeschlossenes Zubehör

| | |
|----------------|---|
| T02-00071-xxxx | TM9300/TM9400 Large Control Head Local Black |
| T02-00076-Axxx | TM9300/TM9400 Small Control Head Local Black (two digit low tier version) |
| T02-00076-Bxxx | TM9300/TM9400 Small Control Head Local Black (three digit low tier version) |
| T02-00081-AAAA | TM93/94 Control Head Remote Body End Multi Head Terminated+Bias |
| T02-00081-BAAA | TM93/94 Control Head Remote Body End Multi Body Terminated+Bias |
| T02-00081-BBAA | TM93/94 Control Head Remote Body End Multi Body Term No Bias |
| T02-00092-xxxx | TCH3 Local Control Head 8Ky |
| T02-00094-xxxx | TCH4 Remote Control Head 9Ky |
| T02-00096-xxxx | TCH6 Remote Control Head 21Ky |

Zubehör zum großen Steuerkopf

| | |
|----------------|--|
| T02-00083-AAAA | TM93/94 Large Control Head Remote Head End Terminated |
| T02-00083-ABAA | TM93/94 Large Control Head Remote Head End Un-Terminated |

An die Schnittstellenbox des Handsteuerkopfs angeschlossenes Zubehör

| | |
|----------------|---|
| T02-00073-xxxx | TM9300/TM9400 Hand Held Control Head |
| TMAA10-10 | Remote PTT+ Microphone for Handheld Control Head Breakout Box |

Zubehör zu Lautsprecherterminals

| | |
|----------------|---|
| TMAA10-03A | 10W External Speaker for 25W Radio Unbadged |
| T02-00004-0206 | 15W TM Rugged speaker |
| T02-00004-0201 | TM Horn Speaker Kit 112dB SPL For 25W Radio |

An den Axillaranschluss angeschlossenes Zubehör

| | |
|----------------|--|
| T02-00005-ADCA | TM9300/9400 Remote PTT + Microphone |
| T02-00005-ADAA | TM Handsfree |
| TMAA05-01 | 16HVS GPS Receiver by Garmin or equivalent alternative |
| TMAA05-05 | GPS receiver DB15 Wisys WS5012 |
| TMAA05-06 | GPS receiver DB15 Through hole mount |

| | |
|----------------|---|
| T02-00025-1001 | GPS receiver by F-tech or equivalent alternative |
| T02-00025-1002 | GPS receiver Thru-hole mount by Tallysman or equivalent alternative |
| T02-00025-1003 | GPS receiver Mag-mount by Tallysman or equivalent alternative |

An den Anschluss für interne Optionen angeschlossenes Zubehör

| | |
|----------------|--|
| T02-00007-ABAA | TM Line Interface Board TDMA |
| T02-00007-BAAA | TM RS232 Interface Board TDMA |
| XA3140-01-PBA | PBA Vehicle PA Options Board |
| XA3140-21-PBA | PBA TA3140 Desktop Dual Unbalanced Board |
| XA3140-23-PBA | PBA TA3140 Desktop Balanced Audio plus Headset |
| TA3140-07 | Rx Low pass filter board |
| XA3140-07-PBA | PBA TA3140 desktop Balanced Audio Headset Receiver LPF |
| XA3423-01-PBA | PBA TMB enhanced iBus + I/F |
| XA3290-01-PBA | PBA ACC board line interface TDMA Raytheon |
| XMAA01-0100AC | PBA TMA line interface w/o PTT delay RS422 |
| XMAA01-0100AD | PBA TMA line interface w/o PTT delay Lothian |
| XA2675-02-PBA | PBA TM8K Dublin Bus RS-485 Interface |

An den Mikrofonanschluss der Steuerung/des Fernbedienungskopfs oder der Schnittstellenbox angeschlossenes Zubehör

| | |
|----------------|--------------------------------------|
| T02-00005-AAAA | TM9300/9400 Standard Microphone TDMA |
| T02-00005-AAAB | TM Standard Microphone TDMA Unbadged |
| T02-00005-ABAA | TM9300/9400 Keypad Microphone TDMA |
| T02-00005-ABBA | TM Keypad Microphone TDMA 3m Cord |
| T02-00005-ABAB | TM Keypad Microphone TDMA Unbadged |
| T02-00004-0101 | Telephone Style Handset |
| T02-00005-ACAA | TM9300/9400 Desktop Microphone |

Kabel

| | |
|----------------|---|
| TMAA04-05 | 4m (13.12ft) Ignition Sense cable |
| TA3101-01 | Cable assembly 15W plug-15W socket Ign+IO |
| TMAA20-03 | Cable 25W Radio Power Connector to Banana Plug |
| TMAA21-02 | Cable T2000 Power Socket to TM8000 Power Plug |
| T03-00118-0601 | USB to RJ11 Serial Programming Cable |
| T02-00009-0301 | TM Aux Port 2 way breakout cable |
| T02-00034-ABAA | Cable Breakout Telemetry/Horn |
| TMAA03-44 | Cable Kit Ignition & External Alarm TAM Utility |
| TMAA04-09 | Cable Breakout Combiner Handheld Control Head |

| | |
|----------------|--|
| TMAA04-10 | Cable Breakout Extension Handheld Control Head |
| TMAA04-11 | Cable Ignition Sense Handheld Control Head |
| T02-00009-0201 | Cable Shielded 8 Core RJ45M/F Ext 1.6m (5ft) |
| T02-00009-0202 | Cable Shielded 8 Core RJ45M/F Ext 3m (10ft) |
| T02-00009-0203 | Cable Shielded 8 Core RJ45M/F Ext 6m (20ft) |
| T02-00009-0204 | Cable Shielded 8 Core RJ45M/F Ext 9m (30ft) |

Wiege und Bausatz

| | |
|----------------|--|
| TMAA03-01 | U-Cradle Install Kit for 25W Radio BNC |
| TMAA03-06 | Desktop Power Supply U-Cradle inst Kit for 25W radio |
| TMAA03-09 | Desktop Power Supply Plinth inst Kit for 25W Radio |
| T02-00026-1002 | Kit Mobile Cable MUHF 25W |
| T02-00026-1001 | Kit Mobile Cable BNC 25W |
| TMAA11-01 | U-Cradle Re-Install Kit (x3 sets) |
| TMAA03-18 | Slide In Cradle Install Kit for 25W Radio BNC |
| TMAA03-02 | Security Cradle |
| TMAA30-06 | Internal Options Connector Kit |

ES - Declaración UE de conformidad

Equipos de radio: TM9300/TM9400
Nombre y dirección del fabricante: Tait International Ltd
245 Wooldridge Road
Christchurch
New Zealand

La presente declaración de conformidad se expide bajo la exclusiva responsabilidad del fabricante.

Objeto de la declaración:: TMBH7A (450-520 MHz)
El objeto de la declaración descrito anteriormente es 2014/53/EU Radio Equipment Directive (RED)
conforme con la legislación de armonización pertinente de 2012/19/EU Waste Electrical and Electronic Equipment
la Unión: Directive (WEEE)
2011/65/EU Restriction of Hazardous Substances (RoHS)

Normas armonizadas pertinentes utilizadas: **Directive 2014/53/EU Art. 3.2**
EN300 086 V2.1.2
EN300 113 V2.2.1
EN300 219 V2.1.1
EN300 328 V2.2.2
EN303 413 V1.1.1

Directive 2014/53/EU Art. 3.1b
EN301 489-1 V2.2.0
EN301 489-5 V2.2.0
EN301 489-17 V3.2.0
EN301489-19 V2.1.0

Directive 2014/53/EU Art. 3.1a
EN62368-1:2014+A11:2017
EN50566:2017

Descripción de los accesorios que permiten el equipo de radio para operar como destinado:

Ninguno

Descripción del software que permite la equipo de radio para operar según lo previsto:

El software instalado está bajo el control total del fabricante sin acceso por parte del usuario y cumple con las directivas pertinentes.

Firmado para y en representación de Tait International Limited:



Linda White
Standards & Regulatory Manager
Tait International Limited
Christchurch,
New Zealand
14/11/2023

Los accesorios enumerados están aprobados para su uso con el objeto de esta declaración.

'x' denota diferentes aprobaciones regulatorias, proveedores y/o marca.

| Número De Pieza | Descripcion (solo para informacion) |
|-------------------------|--|
| Caja de interfaz | |
| T02-00088-BAAA | TM93/94 Hand Held Control Head Interface Box |
| T02-00088-AAAA | TM93/94 Control Head Interface Box (Power/Dual Head) |
| T02-00088-CAAA | TM93/94 Remote Control Head Extender Unit |

Accesorios conectados al conector del cabezal de control

| | |
|----------------|---|
| T02-00071-xxxx | TM9300/TM9400 Large Control Head Local Black |
| T02-00076-Axxx | TM9300/TM9400 Small Control Head Local Black (two digit low tier version) |
| T02-00076-Bxxx | TM9300/TM9400 Small Control Head Local Black (three digit low tier version) |
| T02-00081-AAAA | TM93/94 Control Head Remote Body End Multi Head Terminated+Bias |
| T02-00081-BAAA | TM93/94 Control Head Remote Body End Multi Body Terminated+Bias |
| T02-00081-BBAA | TM93/94 Control Head Remote Body End Multi Body Term No Bias |
| T02-00092-xxxx | TCH3 Local Control Head 8Ky |
| T02-00094-xxxx | TCH4 Remote Control Head 9Ky |
| T02-00096-xxxx | TCH6 Remote Control Head 21Ky |

Accesorios para cabezal de control grande

| | |
|----------------|--|
| T02-00083-AAAA | TM93/94 Large Control Head Remote Head End Terminated |
| T02-00083-ABAA | TM93/94 Large Control Head Remote Head End Un-Terminated |

Accesorios conectados a la caja de interfaz del cabezal de control portátil

| | |
|----------------|---|
| T02-00073-xxxx | TM9300/TM9400 Hand Held Control Head |
| TMAA10-10 | Remote PTT+ Microphone for Handheld Control Head Breakout Box |

Accesorios para terminales de altavoces

| | |
|----------------|---|
| TMAA10-03A | 10W External Speaker for 25W Radio Unbadged |
| T02-00004-0206 | 15W TM Rugged speaker |
| T02-00004-0201 | TM Horn Speaker Kit 112dB SPL For 25W Radio |

Accesorios conectados al conector Axilar

| | |
|----------------|--|
| T02-00005-ADCA | TM9300/9400 Remote PTT + Microphone |
| T02-00005-ADAA | TM Handsfree |
| TMAA05-01 | 16HVS GPS Receiver by Garmin or equivalent alternative |
| TMAA05-05 | GPS receiver DB15 Wisys WS5012 |
| TMAA05-06 | GPS receiver DB15 Through hole mount |

| | |
|----------------|---|
| T02-00025-1001 | GPS receiver by F-tech or equivalent alternative |
| T02-00025-1002 | GPS receiver Thru-hole mount by Tallysman or equivalent alternative |
| T02-00025-1003 | GPS receiver Mag-mount by Tallysman or equivalent alternative |

Accesorios conectados al conector de opciones internas

| | |
|----------------|--|
| T02-00007-ABAA | TM Line Interface Board TDMA |
| T02-00007-BAAA | TM RS232 Interface Board TDMA |
| XA3140-01-PBA | PBA Vehicle PA Options Board |
| XA3140-21-PBA | PBA TA3140 Desktop Dual Unbalanced Board |
| XA3140-23-PBA | PBA TA3140 Desktop Balanced Audio plus Headset |
| TA3140-07 | Rx Low pass filter board |
| XA3140-07-PBA | PBA TA3140 desktop Balanced Audio Headset Receiver LPF |
| XA3423-01-PBA | PBA TMB enhanced iBus + I/F |
| XA3290-01-PBA | PBA ACC board line interface TDMA Raytheon |
| XMAA01-0100AC | PBA TMA line interface w/o PTT delay RS422 |
| XMAA01-0100AD | PBA TMA line interface w/o PTT delay Lothian |
| XA2675-02-PBA | PBA TM8K Dublin Bus RS-485 Interface |

Accesorios conectados al puerto de micrófono del cabezal de control/remoto o caja de interfaz

| | |
|----------------|--------------------------------------|
| T02-00005-AAAA | TM9300/9400 Standard Microphone TDMA |
| T02-00005-AAAB | TM Standard Microphone TDMA Unbadged |
| T02-00005-ABAA | TM9300/9400 Keypad Microphone TDMA |
| T02-00005-ABBA | TM Keypad Microphone TDMA 3m Cord |
| T02-00005-ABAB | TM Keypad Microphone TDMA Unbadged |
| T02-00004-0101 | Telephone Style Handset |
| T02-00005-ACAA | TM9300/9400 Desktop Microphone |

Cabos

| | |
|----------------|---|
| TMAA04-05 | 4m (13.12ft) Ignition Sense cable |
| TA3101-01 | Cable assembly 15W plug-15W socket Ign+IO |
| TMAA20-03 | Cable 25W Radio Power Connector to Banana Plug |
| TMAA21-02 | Cable T2000 Power Socket to TM8000 Power Plug |
| T03-00118-0601 | USB to RJ11 Serial Programming Cable |
| T02-00009-0301 | TM Aux Port 2 way breakout cable |
| T02-00034-ABAA | Cable Breakout Telemetry/Horn |
| TMAA03-44 | Cable Kit Ignition & External Alarm TAM Utility |
| TMAA04-09 | Cable Breakout Combiner Handheld Control Head |

| | |
|----------------|--|
| TMAA04-10 | Cable Breakout Extension Handheld Control Head |
| TMAA04-11 | Cable Ignition Sense Handheld Control Head |
| T02-00009-0201 | Cable Shielded 8 Core RJ45M/F Ext 1.6m (5ft) |
| T02-00009-0202 | Cable Shielded 8 Core RJ45M/F Ext 3m (10ft) |
| T02-00009-0203 | Cable Shielded 8 Core RJ45M/F Ext 6m (20ft) |
| T02-00009-0204 | Cable Shielded 8 Core RJ45M/F Ext 9m (30ft) |

Cuna y kit

| | |
|----------------|--|
| TMAA03-01 | U-Cradle Install Kit for 25W Radio BNC |
| TMAA03-06 | Desktop Power Supply U-Cradle inst Kit for 25W radio |
| TMAA03-09 | Desktop Power Supply Plinth inst Kit for 25W Radio |
| T02-00026-1002 | Kit Mobile Cable MUHF 25W |
| T02-00026-1001 | Kit Mobile Cable BNC 25W |
| TMAA11-01 | U-Cradle Re-Install Kit (x3 sets) |
| TMAA03-18 | Slide In Cradle Install Kit for 25W Radio BNC |
| TMAA03-02 | Security Cradle |
| TMAA30-06 | Internal Options Connector Kit |

PT - Declaração UE de conformidade

Equipamentos de rádio: TM9300/TM9400
Nome e endereço do fabricante: Tait International Ltd
245 Wooldridge Road
Christchurch
New Zealand

A presente declaração de conformidade é emitida sob a exclusiva responsabilidade do fabricante.

Objeto da declaração: TMBH7A (450-520 MHz)
O objeto da declaração acima mencionada está em conformidade com a legislação de harmonização da União aplicável: 2014/53/EU Radio Equipment Directive (RED)
2012/19/EU Waste Electrical and Electronic Equipment Directive (WEEE)
2011/65/EU Restriction of Hazardous Substances (RoHS)

Normas harmonizadas relevantes utilizadas: **Directive 2014/53/EU Art. 3.2**
EN300 086 V2.1.2
EN300 113 V2.2.1
EN300 219 V2.1.1
EN300 328 V2.2.2
EN303 413 V1.1.1

Directive 2014/53/EU Art. 3.1b
EN301 489-1 V2.2.0
EN301 489-5 V2.2.0
EN301 489-17 V3.2.0
EN301489-19 V2.1.0

Directive 2014/53/EU Art. 3.1a
EN62368-1:2014+A11:2017
EN50566:2017

Descrição dos acessórios que permitem que o equipamento de rádio funcione como pretendido:

Nenhum

Descrição do software que permite a equipamento de rádio para operar como pretendido:

O software instalado está sob o controle total do fabricante sem acesso do usuário e está em conformidade com as Diretivas relevantes .

Assinado por e em nome da Tait International Limited:



Linda White
Standards & Regulatory Manager
Tait International Limited
Christchurch,
New Zealand
14/11/2023

Os acessórios listados são aprovados para uso com o objeto desta declaração.

'x' denota diferentes aprovações regulatórias, fornecedores e/ou marca.

| Número da peça | Descrição (apenas para informação) |
|---------------------------|--|
| Caixa de interface | |
| T02-00088-BAAA | TM93/94 Hand Held Control Head Interface Box |
| T02-00088-AAAA | TM93/94 Control Head Interface Box (Power/Dual Head) |
| T02-00088-CAAA | TM93/94 Remote Control Head Extender Unit |

Acessórios conectados ao conector da cabeça de controle

| | |
|----------------|---|
| T02-00071-xxxx | TM9300/TM9400 Large Control Head Local Black |
| T02-00076-Axxx | TM9300/TM9400 Small Control Head Local Black (two digit low tier version) |
| T02-00076-Bxxx | TM9300/TM9400 Small Control Head Local Black (three digit low tier version) |
| T02-00081-AAAA | TM93/94 Control Head Remote Body End Multi Head Terminated+Bias |
| T02-00081-BAAA | TM93/94 Control Head Remote Body End Multi Body Terminated+Bias |
| T02-00081-BBAA | TM93/94 Control Head Remote Body End Multi Body Term No Bias |
| T02-00092-xxxx | TCH3 Local Control Head 8Ky |
| T02-00094-xxxx | TCH4 Remote Control Head 9Ky |
| T02-00096-xxxx | TCH6 Remote Control Head 21Ky |

Acessórios para cabeçote de controle grande

| | |
|----------------|--|
| T02-00083-AAAA | TM93/94 Large Control Head Remote Head End Terminated |
| T02-00083-ABAA | TM93/94 Large Control Head Remote Head End Un-Terminated |

Acessórios conectados à caixa de interface da cabeça de controle portátil

| | |
|----------------|---|
| T02-00073-xxxx | TM9300/TM9400 Hand Held Control Head |
| TMAA10-10 | Remote PTT+ Microphone for Handheld Control Head Breakout Box |

Acessórios para terminais de alto-falante

| | |
|----------------|---|
| TMAA10-03A | 10W External Speaker for 25W Radio Unbadged |
| T02-00004-0206 | 15W TM Rugged speaker |
| T02-00004-0201 | TM Horn Speaker Kit 112dB SPL For 25W Radio |

Acessórios conectados ao conector Axilar

| | |
|----------------|--|
| T02-00005-ADCA | TM9300/9400 Remote PTT + Microphone |
| T02-00005-ADAA | TM Handsfree |
| TMAA05-01 | 16HVS GPS Receiver by Garmin or equivalent alternative |
| TMAA05-05 | GPS receiver DB15 Wisys WS5012 |
| TMAA05-06 | GPS receiver DB15 Through hole mount |

| | |
|----------------|---|
| T02-00025-1001 | GPS receiver by F-tech or equivalent alternative |
| T02-00025-1002 | GPS receiver Thru-hole mount by Tallysman or equivalent alternative |
| T02-00025-1003 | GPS receiver Mag-mount by Tallysman or equivalent alternative |

Acessórios conectados ao conector de opções internas

| | |
|----------------|--|
| T02-00007-ABAA | TM Line Interface Board TDMA |
| T02-00007-BAAA | TM RS232 Interface Board TDMA |
| XA3140-01-PBA | PBA Vehicle PA Options Board |
| XA3140-21-PBA | PBA TA3140 Desktop Dual Unbalanced Board |
| XA3140-23-PBA | PBA TA3140 Desktop Balanced Audio plus Headset |
| TA3140-07 | Rx Low pass filter board |
| XA3140-07-PBA | PBA TA3140 desktop Balanced Audio Headset Receiver LPF |
| XA3423-01-PBA | PBA TMB enhanced iBus + I/F |
| XA3290-01-PBA | PBA ACC board line interface TDMA Raytheon |
| XMAA01-0100AC | PBA TMA line interface w/o PTT delay RS422 |
| XMAA01-0100AD | PBA TMA line interface w/o PTT delay Lothian |
| XA2675-02-PBA | PBA TM8K Dublin Bus RS-485 Interface |

Acessórios conectados à porta do microfone do controle/cabeça remota ou caixa de interface

| | |
|----------------|--------------------------------------|
| T02-00005-AAAA | TM9300/9400 Standard Microphone TDMA |
| T02-00005-AAAB | TM Standard Microphone TDMA Unbadged |
| T02-00005-ABAA | TM9300/9400 Keypad Microphone TDMA |
| T02-00005-ABBA | TM Keypad Microphone TDMA 3m Cord |
| T02-00005-ABAB | TM Keypad Microphone TDMA Unbadged |
| T02-00004-0101 | Telephone Style Handset |
| T02-00005-ACAA | TM9300/9400 Desktop Microphone |

Cabos

| | |
|----------------|---|
| TMAA04-05 | 4m (13.12ft) Ignition Sense cable |
| TA3101-01 | Cable assembly 15W plug-15W socket Ign+IO |
| TMAA20-03 | Cable 25W Radio Power Connector to Banana Plug |
| TMAA21-02 | Cable T2000 Power Socket to TM8000 Power Plug |
| T03-00118-0601 | USB to RJ11 Serial Programming Cable |
| T02-00009-0301 | TM Aux Port 2 way breakout cable |
| T02-00034-ABAA | Cable Breakout Telemetry/Horn |
| TMAA03-44 | Cable Kit Ignition & External Alarm TAM Utility |
| TMAA04-09 | Cable Breakout Combiner Handheld Control Head |

| | |
|----------------|--|
| TMAA04-10 | Cable Breakout Extension Handheld Control Head |
| TMAA04-11 | Cable Ignition Sense Handheld Control Head |
| T02-00009-0201 | Cable Shielded 8 Core RJ45M/F Ext 1.6m (5ft) |
| T02-00009-0202 | Cable Shielded 8 Core RJ45M/F Ext 3m (10ft) |
| T02-00009-0203 | Cable Shielded 8 Core RJ45M/F Ext 6m (20ft) |
| T02-00009-0204 | Cable Shielded 8 Core RJ45M/F Ext 9m (30ft) |

Berço e kit

| | |
|----------------|--|
| TMAA03-01 | U-Cradle Install Kit for 25W Radio BNC |
| TMAA03-06 | Desktop Power Supply U-Cradle inst Kit for 25W radio |
| TMAA03-09 | Desktop Power Supply Plinth inst Kit for 25W Radio |
| T02-00026-1002 | Kit Mobile Cable MUHF 25W |
| T02-00026-1001 | Kit Mobile Cable BNC 25W |
| TMAA11-01 | U-Cradle Re-Install Kit (x3 sets) |
| TMAA03-18 | Slide In Cradle Install Kit for 25W Radio BNC |
| TMAA03-02 | Security Cradle |
| TMAA30-06 | Internal Options Connector Kit |

Apparecchiature radiofoniche: TM9300/TM9400
Nome e indirizzo del produttore: Tait International Ltd
245 Wooldridge Road
Christchurch
New Zealand

La presente dichiarazione di conformità è rilasciata sotto l'esclusiva responsabilità del fabbricante.

Oggetto della dichiarazione: TMBH7A (450-520 MHz)
L'oggetto della dichiarazione di cui sopra è conforme alla pertinente normativa di armonizzazione dell'Unione: 2014/53/EU Radio Equipment Directive (RED)
2012/19/EU Waste Electrical and Electronic Equipment Directive (WEEE)
2011/65/EU Restriction of Hazardous Substances (RoHS)

Norme armonizzate pertinenti utilizzate: **Directive 2014/53/EU Art. 3.2**
EN300 086 V2.1.2
EN300 113 V2.2.1
EN300 219 V2.1.1
EN300 328 V2.2.2
EN303 413 V1.1.1

Directive 2014/53/EU Art. 3.1b
EN301 489-1 V2.2.0
EN301 489-5 V2.2.0
EN301 489-17 V3.2.0
EN301489-19 V2.1.0

Directive 2014/53/EU Art. 3.1a
EN62368-1:2014+A11:2017
EN50566:2017

Descrizione degli accessori che consentono all'apparecchiatura radio di funzionare come previsto: Nessuno

Descrizione del software che consente all'apparecchiatura radio di funzionare come previsto: Il software installato è sotto il pieno controllo del produttore senza alcun accesso da parte dell'utente ed è conforme alle Direttive pertinenti.

Firmato a nome e per conto di Tait International Limited:



Linda White
Standards & Regulatory Manager
Tait International Limited
Christchurch,
New Zealand
14/11/2023

Gli accessori elencati sono approvati per l'uso con l'oggetto della presente dichiarazione.

'x' indica diverse approvazioni normative, fornitori e/o marchio.

| Numero di Parte | Descrizione (solo per informazioni) |
|-------------------------------|--|
| Scatola di interfaccia | |
| T02-00088-BAAA | TM93/94 Hand Held Control Head Interface Box |
| T02-00088-AAAA | TM93/94 Control Head Interface Box (Power/Dual Head) |
| T02-00088-CAAA | TM93/94 Remote Control Head Extender Unit |

Accessori collegati al connettore della testata di controllo

| | |
|----------------|---|
| T02-00071-xxxx | TM9300/TM9400 Large Control Head Local Black |
| T02-00076-Axxx | TM9300/TM9400 Small Control Head Local Black (two digit low tier version) |
| T02-00076-Bxxx | TM9300/TM9400 Small Control Head Local Black (three digit low tier version) |
| T02-00081-AAAA | TM93/94 Control Head Remote Body End Multi Head Terminated+Bias |
| T02-00081-BAAA | TM93/94 Control Head Remote Body End Multi Body Terminated+Bias |
| T02-00081-BBAA | TM93/94 Control Head Remote Body End Multi Body Term No Bias |
| T02-00092-xxxx | TCH3 Local Control Head 8Ky |
| T02-00094-xxxx | TCH4 Remote Control Head 9Ky |
| T02-00096-xxxx | TCH6 Remote Control Head 21Ky |

Accessori per testata di comando grande

| | |
|----------------|--|
| T02-00083-AAAA | TM93/94 Large Control Head Remote Head End Terminated |
| T02-00083-ABAA | TM93/94 Large Control Head Remote Head End Un-Terminated |

Accessori collegati alla scatola di interfaccia della testina di controllo portatile

| | |
|----------------|---|
| T02-00073-xxxx | TM9300/TM9400 Hand Held Control Head |
| TMAA10-10 | Remote PTT+ Microphone for Handheld Control Head Breakout Box |

Accessori per terminali altoparlanti

| | |
|----------------|---|
| TMAA10-03A | 10W External Speaker for 25W Radio Unbadged |
| T02-00004-0206 | 15W TM Rugged speaker |
| T02-00004-0201 | TM Horn Speaker Kit 112dB SPL For 25W Radio |

Accessori collegati al connettore ascellare

| | |
|----------------|--|
| T02-00005-ADCA | TM9300/9400 Remote PTT + Microphone |
| T02-00005-ADAA | TM Handsfree |
| TMAA05-01 | 16HVS GPS Receiver by Garmin or equivalent alternative |
| TMAA05-05 | GPS receiver DB15 Wisys WS5012 |
| TMAA05-06 | GPS receiver DB15 Through hole mount |

| | |
|----------------|---|
| T02-00025-1001 | GPS receiver by F-tech or equivalent alternative |
| T02-00025-1002 | GPS receiver Thru-hole mount by Tallysman or equivalent alternative |
| T02-00025-1003 | GPS receiver Mag-mount by Tallysman or equivalent alternative |

Accessori collegati al connettore delle opzioni interne

| | |
|----------------|--|
| T02-00007-ABAA | TM Line Interface Board TDMA |
| T02-00007-BAAA | TM RS232 Interface Board TDMA |
| XA3140-01-PBA | PBA Vehicle PA Options Board |
| XA3140-21-PBA | PBA TA3140 Desktop Dual Unbalanced Board |
| XA3140-23-PBA | PBA TA3140 Desktop Balanced Audio plus Headset |
| TA3140-07 | Rx Low pass filter board |
| XA3140-07-PBA | PBA TA3140 desktop Balanced Audio Headset Receiver LPF |
| XA3423-01-PBA | PBA TMB enhanced iBus + I/F |
| XA3290-01-PBA | PBA ACC board line interface TDMA Raytheon |
| XMAA01-0100AC | PBA TMA line interface w/o PTT delay RS422 |
| XMAA01-0100AD | PBA TMA line interface w/o PTT delay Lothian |
| XA2675-02-PBA | PBA TM8K Dublin Bus RS-485 Interface |

Accessori collegati alla porta del microfono della testina di controllo/remoto o alla scatola di interfaccia

| | |
|----------------|--------------------------------------|
| T02-00005-AAAA | TM9300/9400 Standard Microphone TDMA |
| T02-00005-AAAB | TM Standard Microphone TDMA Unbadged |
| T02-00005-ABAA | TM9300/9400 Keypad Microphone TDMA |
| T02-00005-ABBA | TM Keypad Microphone TDMA 3m Cord |
| T02-00005-ABAB | TM Keypad Microphone TDMA Unbadged |
| T02-00004-0101 | Telephone Style Handset |
| T02-00005-ACAA | TM9300/9400 Desktop Microphone |

Cavi

| | |
|----------------|---|
| TMAA04-05 | 4m (13.12ft) Ignition Sense cable |
| TA3101-01 | Cable assembly 15W plug-15W socket Ign+IO |
| TMAA20-03 | Cable 25W Radio Power Connector to Banana Plug |
| TMAA21-02 | Cable T2000 Power Socket to TM8000 Power Plug |
| T03-00118-0601 | USB to RJ11 Serial Programming Cable |
| T02-00009-0301 | TM Aux Port 2 way breakout cable |
| T02-00034-ABAA | Cable Breakout Telemetry/Horn |
| TMAA03-44 | Cable Kit Ignition & External Alarm TAM Utility |
| TMAA04-09 | Cable Breakout Combiner Handheld Control Head |

| | |
|----------------|--|
| TMAA04-10 | Cable Breakout Extension Handheld Control Head |
| TMAA04-11 | Cable Ignition Sense Handheld Control Head |
| T02-00009-0201 | Cable Shielded 8 Core RJ45M/F Ext 1.6m (5ft) |
| T02-00009-0202 | Cable Shielded 8 Core RJ45M/F Ext 3m (10ft) |
| T02-00009-0203 | Cable Shielded 8 Core RJ45M/F Ext 6m (20ft) |
| T02-00009-0204 | Cable Shielded 8 Core RJ45M/F Ext 9m (30ft) |

Culla e corredo

| | |
|----------------|--|
| TMAA03-01 | U-Cradle Install Kit for 25W Radio BNC |
| TMAA03-06 | Desktop Power Supply U-Cradle inst Kit for 25W radio |
| TMAA03-09 | Desktop Power Supply Plinth inst Kit for 25W Radio |
| T02-00026-1002 | Kit Mobile Cable MUHF 25W |
| T02-00026-1001 | Kit Mobile Cable BNC 25W |
| TMAA11-01 | U-Cradle Re-Install Kit (x3 sets) |
| TMAA03-18 | Slide In Cradle Install Kit for 25W Radio BNC |
| TMAA03-02 | Security Cradle |
| TMAA30-06 | Internal Options Connector Kit |

Sprzęt radiowy: TM9300/TM9400
Nazwa i adres producenta: Tait International Ltd
245 Wooldridge Road
Christchurch
New Zealand

Niniejszą deklarację zgodności wydaje się na wyłączną odpowiedzialność producenta.

Przedmiot deklaracji: TMBH7A (450-520 MHz)
Wymieniony poniżej przedmiot niniejszej deklaracji jest zgodny z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego: 2014/53/EU Radio Equipment Directive (RED)
2012/19/EU Waste Electrical and Electronic Equipment Directive (WEEE)
2011/65/EU Restriction of Hazardous Substances (RoHS)

Zastosowano odpowiednie normy zharmonizowane: **Directive 2014/53/EU Art. 3.2**
EN300 086 V2.1.2
EN300 113 V2.2.1
EN300 219 V2.1.1
EN300 328 V2.2.2
EN303 413 V1.1.1
Directive 2014/53/EU Art. 3.1b
EN301 489-1 V2.2.0
EN301 489-5 V2.2.0
EN301 489-17 V3.2.0
EN301489-19 V2.1.0
Directive 2014/53/EU Art. 3.1a
EN62368-1:2014+A11:2017
EN50566:2017

Opis akcesoriów umożliwiających działanie sprzętu radiowego zgodnie z przeznaczeniem:

Nic

Opis oprogramowania umożliwiającego działanie sprzętu radiowego zgodnie z przeznaczeniem:

Zainstalowane oprogramowanie jest pod pełną kontrolą producenta bez dostępu użytkownika i jest zgodne z odpowiednimi dyrektywami.

Podpisano w imieniu Tait International Limited:



Linda White
Standards & Regulatory Manager
Tait International Limited
Christchurch,
New Zealand
14/11/2023

Wymienione akcesoria są dopuszczone do użytku zgodnie z niniejszą deklaracją.

'x' oznacza różne zezwolenia regulacyjne, dostawców i/lub markę.

| Numer Katalogowy | Opis (tylko informacyjnie) |
|----------------------------|--|
| Skrzynka interfejsu | |
| T02-00088-BAAA | TM93/94 Hand Held Control Head Interface Box |
| T02-00088-AAAA | TM93/94 Control Head Interface Box (Power/Dual Head) |
| T02-00088-CAAA | TM93/94 Remote Control Head Extender Unit |

Akcesoria podłączone do złącza głowicy sterującej

| | |
|----------------|---|
| T02-00071-xxxx | TM9300/TM9400 Large Control Head Local Black |
| T02-00076-Axxx | TM9300/TM9400 Small Control Head Local Black (two digit low tier version) |
| T02-00076-Bxxx | TM9300/TM9400 Small Control Head Local Black (three digit low tier version) |
| T02-00081-AAAA | TM93/94 Control Head Remote Body End Multi Head Terminated+Bias |
| T02-00081-BAAA | TM93/94 Control Head Remote Body End Multi Body Terminated+Bias |
| T02-00081-BBAA | TM93/94 Control Head Remote Body End Multi Body Term No Bias |
| T02-00092-xxxx | TCH3 Local Control Head 8Ky |
| T02-00094-xxxx | TCH4 Remote Control Head 9Ky |
| T02-00096-xxxx | TCH6 Remote Control Head 21Ky |

Akcesoria do dużej głowicy sterującej

| | |
|----------------|--|
| T02-00083-AAAA | TM93/94 Large Control Head Remote Head End Terminated |
| T02-00083-ABAA | TM93/94 Large Control Head Remote Head End Un-Terminated |

Akcesoria podłączone do skrzynki interfejsu ręcznej głowicy sterującej

| | |
|----------------|---|
| T02-00073-xxxx | TM9300/TM9400 Hand Held Control Head |
| TMAA10-10 | Remote PTT+ Microphone for Handheld Control Head Breakout Box |

Akcesoria do zacisków głośnikowych

| | |
|----------------|---|
| TMAA10-03A | 10W External Speaker for 25W Radio Unbadged |
| T02-00004-0206 | 15W TM Rugged speaker |
| T02-00004-0201 | TM Horn Speaker Kit 112dB SPL For 25W Radio |

Akcesoria podłączone do złącza pachowego

| | |
|----------------|--|
| T02-00005-ADCA | TM9300/9400 Remote PTT + Microphone |
| T02-00005-ADAA | TM Handsfree |
| TMAA05-01 | 16HVS GPS Receiver by Garmin or equivalent alternative |
| TMAA05-05 | GPS receiver DB15 Wisys WS5012 |
| TMAA05-06 | GPS receiver DB15 Through hole mount |

| | |
|----------------|---|
| T02-00025-1001 | GPS receiver by F-tech or equivalent alternative |
| T02-00025-1002 | GPS receiver Thru-hole mount by Tallysman or equivalent alternative |
| T02-00025-1003 | GPS receiver Mag-mount by Tallysman or equivalent alternative |

Akcesoria podłączone do wewnętrznego złącza opcji

| | |
|----------------|--|
| T02-00007-ABAA | TM Line Interface Board TDMA |
| T02-00007-BAAA | TM RS232 Interface Board TDMA |
| XA3140-01-PBA | PBA Vehicle PA Options Board |
| XA3140-21-PBA | PBA TA3140 Desktop Dual Unbalanced Board |
| XA3140-23-PBA | PBA TA3140 Desktop Balanced Audio plus Headset |
| TA3140-07 | Rx Low pass filter board |
| XA3140-07-PBA | PBA TA3140 desktop Balanced Audio Headset Receiver LPF |
| XA3423-01-PBA | PBA TMB enhanced iBus + I/F |
| XA3290-01-PBA | PBA ACC board line interface TDMA Raytheon |
| XMAA01-0100AC | PBA TMA line interface w/o PTT delay RS422 |
| XMAA01-0100AD | PBA TMA line interface w/o PTT delay Lothian |
| XA2675-02-PBA | PBA TM8K Dublin Bus RS-485 Interface |

Akcesoria podłączone do portu mikrofonu głośnicy sterującej/zdalnej lub modułu interfejsu

| | |
|----------------|--------------------------------------|
| T02-00005-AAAA | TM9300/9400 Standard Microphone TDMA |
| T02-00005-AAAB | TM Standard Microphone TDMA Unbadged |
| T02-00005-ABAA | TM9300/9400 Keypad Microphone TDMA |
| T02-00005-ABBA | TM Keypad Microphone TDMA 3m Cord |
| T02-00005-ABAB | TM Keypad Microphone TDMA Unbadged |
| T02-00004-0101 | Telephone Style Handset |
| T02-00005-ACAA | TM9300/9400 Desktop Microphone |

Kable

| | |
|----------------|---|
| TMAA04-05 | 4m (13.12ft) Ignition Sense cable |
| TA3101-01 | Cable assembly 15W plug-15W socket Ign+IO |
| TMAA20-03 | Cable 25W Radio Power Connector to Banana Plug |
| TMAA21-02 | Cable T2000 Power Socket to TM8000 Power Plug |
| T03-00118-0601 | USB to RJ11 Serial Programming Cable |
| T02-00009-0301 | TM Aux Port 2 way breakout cable |
| T02-00034-ABAA | Cable Breakout Telemetry/Horn |
| TMAA03-44 | Cable Kit Ignition & External Alarm TAM Utility |
| TMAA04-09 | Cable Breakout Combiner Handheld Control Head |

| | |
|----------------|--|
| TMAA04-10 | Cable Breakout Extension Handheld Control Head |
| TMAA04-11 | Cable Ignition Sense Handheld Control Head |
| T02-00009-0201 | Cable Shielded 8 Core RJ45M/F Ext 1.6m (5ft) |
| T02-00009-0202 | Cable Shielded 8 Core RJ45M/F Ext 3m (10ft) |
| T02-00009-0203 | Cable Shielded 8 Core RJ45M/F Ext 6m (20ft) |
| T02-00009-0204 | Cable Shielded 8 Core RJ45M/F Ext 9m (30ft) |

Kołyska i zestaw

| | |
|----------------|--|
| TMAA03-01 | U-Cradle Install Kit for 25W Radio BNC |
| TMAA03-06 | Desktop Power Supply U-Cradle inst Kit for 25W radio |
| TMAA03-09 | Desktop Power Supply Plinth inst Kit for 25W Radio |
| T02-00026-1002 | Kit Mobile Cable MUHF 25W |
| T02-00026-1001 | Kit Mobile Cable BNC 25W |
| TMAA11-01 | U-Cradle Re-Install Kit (x3 sets) |
| TMAA03-18 | Slide In Cradle Install Kit for 25W Radio BNC |
| TMAA03-02 | Security Cradle |
| TMAA30-06 | Internal Options Connector Kit |

Радиооборудване: TM9300/TM9400
Име и адрес на производителя: Tait International Ltd
245 Wooldridge Road
Christchurch
New Zealand

Тази декларация за съответствие се издава на отговорност единствено на производителя.

Обект на декларацията: TMBH7A (450-520 MHz)
Предметът на описаната по-горе декларация е в съответствие със съответното законодателство на Съюза за хармонизация: 2014/53/EU Radio Equipment Directive (RED)
2012/19/EU Waste Electrical and Electronic Equipment Directive (WEEE)
2011/65/EU Restriction of Hazardous Substances (RoHS)

Използвани съответни хармонизирани стандарти: **Directive 2014/53/EU Art. 3.2**
EN300 086 V2.1.2
EN300 113 V2.2.1
EN300 219 V2.1.1
EN300 328 V2.2.2
EN303 413 V1.1.1
Directive 2014/53/EU Art. 3.1b
EN301 489-1 V2.2.0
EN301 489-5 V2.2.0
EN301 489-17 V3.2.0
EN301489-19 V2.1.0
Directive 2014/53/EU Art. 3.1a
EN62368-1:2014+A11:2017
EN50566:2017

Описание на аксесоарите, които позволяват на радиооборудването да работи по предназначение:

Нито един

Описание на софтуера, който позволява на радиооборудването да работи по предназначение:

Инсталираният софтуер е под пълен контрол на производителя без достъп от страна на потребителя и отговаря на съответните директиви

Подписано за и от името на Tait International Limited:



Linda White
Standards & Regulatory Manager
Tait International Limited
Christchurch,
New Zealand
14/11/2023

Изброените акcesoари са одобрени за използване с обекта на тази декларация.

„x“ означава различни регулаторни одобрения, доставчици и/или марка.

| Номер на частта | Описание (само за информация) |
|--------------------------|--|
| Интерфейсна кутия | |
| T02-00088-BAAA | TM93/94 Hand Held Control Head Interface Box |
| T02-00088-AAAA | TM93/94 Control Head Interface Box (Power/Dual Head) |
| T02-00088-CAAA | TM93/94 Remote Control Head Extender Unit |

Акcesoари, свързани към конектора на контролната глава

| | |
|----------------|---|
| T02-00071-xxxx | TM9300/TM9400 Large Control Head Local Black |
| T02-00076-Axxx | TM9300/TM9400 Small Control Head Local Black (two digit low tier version) |
| T02-00076-Bxxx | TM9300/TM9400 Small Control Head Local Black (three digit low tier version) |
| T02-00081-AAAA | TM93/94 Control Head Remote Body End Multi Head Terminated+Bias |
| T02-00081-BAAA | TM93/94 Control Head Remote Body End Multi Body Terminated+Bias |
| T02-00081-BBAA | TM93/94 Control Head Remote Body End Multi Body Term No Bias |
| T02-00092-xxxx | TCH3 Local Control Head 8Ky |
| T02-00094-xxxx | TCH4 Remote Control Head 9Ky |
| T02-00096-xxxx | TCH6 Remote Control Head 21Ky |

Акcesoари към голяма контролна глава

| | |
|----------------|--|
| T02-00083-AAAA | TM93/94 Large Control Head Remote Head End Terminated |
| T02-00083-ABAA | TM93/94 Large Control Head Remote Head End Un-Terminated |

Акcesoари, свързани към интерфейсна кутия на ръчна контролна глава

| | |
|----------------|---|
| T02-00073-xxxx | TM9300/TM9400 Hand Held Control Head |
| TMAA10-10 | Remote PTT+ Microphone for Handheld Control Head Breakout Box |

Акcesoари към терминали за високоговорители

| | |
|----------------|---|
| TMAA10-03A | 10W External Speaker for 25W Radio Unbadged |
| T02-00004-0206 | 15W TM Rugged speaker |
| T02-00004-0201 | TM Horn Speaker Kit 112dB SPL For 25W Radio |

Акcesoари, свързани към аксиларен конектор

| | |
|----------------|--|
| T02-00005-ADCA | TM9300/9400 Remote PTT + Microphone |
| T02-00005-ADAA | TM Handsfree |
| TMAA05-01 | 16HVS GPS Receiver by Garmin or equivalent alternative |
| TMAA05-05 | GPS receiver DB15 Wisys WS5012 |
| TMAA05-06 | GPS receiver DB15 Through hole mount |

| | |
|----------------|---|
| T02-00025-1001 | GPS receiver by F-tech or equivalent alternative |
| T02-00025-1002 | GPS receiver Thru-hole mount by Tallysman or equivalent alternative |
| T02-00025-1003 | GPS receiver Mag-mount by Tallysman or equivalent alternative |

Акcesoари, свързани към конектор за вътрешни опции

| | |
|----------------|--|
| T02-00007-ABAA | TM Line Interface Board TDMA |
| T02-00007-BAAA | TM RS232 Interface Board TDMA |
| XA3140-01-PBA | PBA Vehicle PA Options Board |
| XA3140-21-PBA | PBA TA3140 Desktop Dual Unbalanced Board |
| XA3140-23-PBA | PBA TA3140 Desktop Balanced Audio plus Headset |
| TA3140-07 | Rx Low pass filter board |
| XA3140-07-PBA | PBA TA3140 desktop Balanced Audio Headset Receiver LPF |
| XA3423-01-PBA | PBA TMB enhanced iBus + I/F |
| XA3290-01-PBA | PBA ACC board line interface TDMA Raytheon |
| XMAA01-0100AC | PBA TMA line interface w/o PTT delay RS422 |
| XMAA01-0100AD | PBA TMA line interface w/o PTT delay Lothian |
| XA2675-02-PBA | PBA TM8K Dublin Bus RS-485 Interface |

Акcesoари, свързани към порта за микрофон на контролната/дистанционната глава или интерфейлната кутия

| | |
|----------------|--------------------------------------|
| T02-00005-AAAA | TM9300/9400 Standard Microphone TDMA |
| T02-00005-AAAB | TM Standard Microphone TDMA Unbadged |
| T02-00005-ABAA | TM9300/9400 Keypad Microphone TDMA |
| T02-00005-ABBA | TM Keypad Microphone TDMA 3m Cord |
| T02-00005-ABAB | TM Keypad Microphone TDMA Unbadged |
| T02-00004-0101 | Telephone Style Handset |
| T02-00005-ACAA | TM9300/9400 Desktop Microphone |

Кабели

| | |
|----------------|---|
| TMAA04-05 | 4m (13.12ft) Ignition Sense cable |
| TA3101-01 | Cable assembly 15W plug-15W socket Ign+IO |
| TMAA20-03 | Cable 25W Radio Power Connector to Banana Plug |
| TMAA21-02 | Cable T2000 Power Socket to TM8000 Power Plug |
| T03-00118-0601 | USB to RJ11 Serial Programming Cable |
| T02-00009-0301 | TM Aux Port 2 way breakout cable |
| T02-00034-ABAA | Cable Breakout Telemetry/Horn |
| TMAA03-44 | Cable Kit Ignition & External Alarm TAM Utility |
| TMAA04-09 | Cable Breakout Combiner Handheld Control Head |

| | |
|----------------|--|
| TMAA04-10 | Cable Breakout Extension Handheld Control Head |
| TMAA04-11 | Cable Ignition Sense Handheld Control Head |
| T02-00009-0201 | Cable Shielded 8 Core RJ45M/F Ext 1.6m (5ft) |
| T02-00009-0202 | Cable Shielded 8 Core RJ45M/F Ext 3m (10ft) |
| T02-00009-0203 | Cable Shielded 8 Core RJ45M/F Ext 6m (20ft) |
| T02-00009-0204 | Cable Shielded 8 Core RJ45M/F Ext 9m (30ft) |

Люлка и комплект

| | |
|----------------|--|
| TMAA03-01 | U-Cradle Install Kit for 25W Radio BNC |
| TMAA03-06 | Desktop Power Supply U-Cradle inst Kit for 25W radio |
| TMAA03-09 | Desktop Power Supply Plinth inst Kit for 25W Radio |
| T02-00026-1002 | Kit Mobile Cable MUHF 25W |
| T02-00026-1001 | Kit Mobile Cable BNC 25W |
| TMAA11-01 | U-Cradle Re-Install Kit (x3 sets) |
| TMAA03-18 | Slide In Cradle Install Kit for 25W Radio BNC |
| TMAA03-02 | Security Cradle |
| TMAA30-06 | Internal Options Connector Kit |

Rádiové vybavení: TM9300/TM9400
Jméno a adresa výrobce: Tait International Ltd
245 Wooldridge Road
Christchurch
New Zealand

Toto prohlášení o shodě se vydává na výhradní odpovědnost výrobce.

Předmět prohlášení: TMBH7A (450-520 MHz)
Předmět výše popsaného prohlášení je v souladu s 2014/53/EU Radio Equipment Directive (RED)
příslušnými harmonizačními právními předpisy Unie: 2012/19/EU Waste Electrical and Electronic Equipment Directive (WEEE)
2011/65/EU Restriction of Hazardous Substances (RoHS)

Používají se příslušné harmonizované normy: **Directive 2014/53/EU Art. 3.2**
EN300 086 V2.1.2
EN300 113 V2.2.1
EN300 219 V2.1.1
EN300 328 V2.2.2
EN303 413 V1.1.1

Directive 2014/53/EU Art. 3.1b

EN301 489-1 V2.2.0
EN301 489-5 V2.2.0
EN301 489-17 V3.2.0
EN301489-19 V2.1.0

Directive 2014/53/EU Art. 3.1a

EN62368-1:2014+A11:2017
EN50566:2017

Popis příslušenství, které umožňuje rádiovému zařízení pracovat podle určení:

Žádný

Popis softwaru, který umožňuje rádiovému zařízení pracovat tak, jak je zamýšleno:

Nainstalovaný software je pod plnou kontrolou výrobce bez přístupu uživatele a je v souladu s příslušnými směrnícím.

Podepsáno za a jménem Tait International Limited:



Linda White
Standards & Regulatory Manager
Tait International Limited
Christchurch,
New Zealand
14/11/2023

Uvedené příslušenství je schváleno pro použití s předmětem tohoto prohlášení.

'x' označuje různá regulační schválení, dodavatele a/nebo značku.

| Číslo dílu | Popis (pouze pro informaci) |
|---------------------|--|
| Rozhraní Box | |
| T02-00088-BAAA | TM93/94 Hand Held Control Head Interface Box |
| T02-00088-AAAA | TM93/94 Control Head Interface Box (Power/Dual Head) |
| T02-00088-CAAA | TM93/94 Remote Control Head Extender Unit |

Příslušenství připojené ke konektoru ovládací hlavičky

| | |
|----------------|---|
| T02-00071-xxxx | TM9300/TM9400 Large Control Head Local Black |
| T02-00076-Axxx | TM9300/TM9400 Small Control Head Local Black (two digit low tier version) |
| T02-00076-Bxxx | TM9300/TM9400 Small Control Head Local Black (three digit low tier version) |
| T02-00081-AAAA | TM93/94 Control Head Remote Body End Multi Head Terminated+Bias |
| T02-00081-BAAA | TM93/94 Control Head Remote Body End Multi Body Terminated+Bias |
| T02-00081-BBAA | TM93/94 Control Head Remote Body End Multi Body Term No Bias |
| T02-00092-xxxx | TCH3 Local Control Head 8Ky |
| T02-00094-xxxx | TCH4 Remote Control Head 9Ky |
| T02-00096-xxxx | TCH6 Remote Control Head 21Ky |

Příslušenství k velké ovládací hlavě

| | |
|----------------|--|
| T02-00083-AAAA | TM93/94 Large Control Head Remote Head End Terminated |
| T02-00083-ABAA | TM93/94 Large Control Head Remote Head End Un-Terminated |

Příslušenství připojené ke skříni rozhraní ručního ovládání

| | |
|----------------|---|
| T02-00073-xxxx | TM9300/TM9400 Hand Held Control Head |
| TMAA10-10 | Remote PTT+ Microphone for Handheld Control Head Breakout Box |

Příslušenství k reproduktorovým terminálům

| | |
|----------------|---|
| TMAA10-03A | 10W External Speaker for 25W Radio Unbadged |
| T02-00004-0206 | 15W TM Rugged speaker |
| T02-00004-0201 | TM Horn Speaker Kit 112dB SPL For 25W Radio |

Příslušenství připojené k axilárnímu konektoru

| | |
|----------------|--|
| T02-00005-ADCA | TM9300/9400 Remote PTT + Microphone |
| T02-00005-ADAA | TM Handsfree |
| TMAA05-01 | 16HVS GPS Receiver by Garmin or equivalent alternative |
| TMAA05-05 | GPS receiver DB15 Wisys WS5012 |
| TMAA05-06 | GPS receiver DB15 Through hole mount |

| | |
|----------------|---|
| T02-00025-1001 | GPS receiver by F-tech or equivalent alternative |
| T02-00025-1002 | GPS receiver Thru-hole mount by Tallysman or equivalent alternative |
| T02-00025-1003 | GPS receiver Mag-mount by Tallysman or equivalent alternative |

Příslušenství připojené ke konektoru vnitřních doplňků

| | |
|----------------|--|
| T02-00007-ABAA | TM Line Interface Board TDMA |
| T02-00007-BAAA | TM RS232 Interface Board TDMA |
| XA3140-01-PBA | PBA Vehicle PA Options Board |
| XA3140-21-PBA | PBA TA3140 Desktop Dual Unbalanced Board |
| XA3140-23-PBA | PBA TA3140 Desktop Balanced Audio plus Headset |
| TA3140-07 | Rx Low pass filter board |
| XA3140-07-PBA | PBA TA3140 desktop Balanced Audio Headset Receiver LPF |
| XA3423-01-PBA | PBA TMB enhanced iBus + I/F |
| XA3290-01-PBA | PBA ACC board line interface TDMA Raytheon |
| XMAA01-0100AC | PBA TMA line interface w/o PTT delay RS422 |
| XMAA01-0100AD | PBA TMA line interface w/o PTT delay Lothian |
| XA2675-02-PBA | PBA TM8K Dublin Bus RS-485 Interface |

Příslušenství připojené k portu mikrofonu ovládací/dálkové hlavy nebo krabice rozhraní

| | |
|----------------|--------------------------------------|
| T02-00005-AAAA | TM9300/9400 Standard Microphone TDMA |
| T02-00005-AAAB | TM Standard Microphone TDMA Unbadged |
| T02-00005-ABAA | TM9300/9400 Keypad Microphone TDMA |
| T02-00005-ABBA | TM Keypad Microphone TDMA 3m Cord |
| T02-00005-ABAB | TM Keypad Microphone TDMA Unbadged |
| T02-00004-0101 | Telephone Style Handset |
| T02-00005-ACAA | TM9300/9400 Desktop Microphone |

Kabely

| | |
|----------------|---|
| TMAA04-05 | 4m (13.12ft) Ignition Sense cable |
| TA3101-01 | Cable assembly 15W plug-15W socket Ign+IO |
| TMAA20-03 | Cable 25W Radio Power Connector to Banana Plug |
| TMAA21-02 | Cable T2000 Power Socket to TM8000 Power Plug |
| T03-00118-0601 | USB to RJ11 Serial Programming Cable |
| T02-00009-0301 | TM Aux Port 2 way breakout cable |
| T02-00034-ABAA | Cable Breakout Telemetry/Horn |
| TMAA03-44 | Cable Kit Ignition & External Alarm TAM Utility |
| TMAA04-09 | Cable Breakout Combiner Handheld Control Head |

| | |
|----------------|--|
| TMAA04-10 | Cable Breakout Extension Handheld Control Head |
| TMAA04-11 | Cable Ignition Sense Handheld Control Head |
| T02-00009-0201 | Cable Shielded 8 Core RJ45M/F Ext 1.6m (5ft) |
| T02-00009-0202 | Cable Shielded 8 Core RJ45M/F Ext 3m (10ft) |
| T02-00009-0203 | Cable Shielded 8 Core RJ45M/F Ext 6m (20ft) |
| T02-00009-0204 | Cable Shielded 8 Core RJ45M/F Ext 9m (30ft) |

Kolébka a souprava

| | |
|----------------|--|
| TMAA03-01 | U-Cradle Install Kit for 25W Radio BNC |
| TMAA03-06 | Desktop Power Supply U-Cradle inst Kit for 25W radio |
| TMAA03-09 | Desktop Power Supply Plinth inst Kit for 25W Radio |
| T02-00026-1002 | Kit Mobile Cable MUHF 25W |
| T02-00026-1001 | Kit Mobile Cable BNC 25W |
| TMAA11-01 | U-Cradle Re-Install Kit (x3 sets) |
| TMAA03-18 | Slide In Cradle Install Kit for 25W Radio BNC |
| TMAA03-02 | Security Cradle |
| TMAA30-06 | Internal Options Connector Kit |

EE - EL-i vastavusdeklaratsioon

Raadioseadmed: TM9300/TM9400
Tootja nimi ja aadress: Tait International Ltd
245 Wooldridge Road
Christchurch
New Zealand

See vastavusdeklaratsioon antakse välja tootja ainuvastutusel.

Deklaratsiooni objekt: TMBH7A (450-520 MHz)TMCN1A (136-520 MHz)
Eespool kirjeldatud deklaratsiooni eesmärk on 2014/53/EU Radio Equipment Directive (RED)
kooskõlas asjakohaste liidu ühtlustamisõigusaktidega: 2012/19/EU Waste Electrical and Electronic Equipment Directive (WEEE)
2011/65/EU Restriction of Hazardous Substances (RoHS)

Kasutatud asjakohased harmoneeritud standardid: **Directive 2014/53/EU Art. 3.2**
EN300 086 V2.1.2
EN300 113 V2.2.1
EN300 219 V2.1.1
EN300 328 V2.2.2
EN303 413 V1.1.1

Directive 2014/53/EU Art. 3.1b
EN301 489-1 V2.2.0
EN301 489-5 V2.2.0
EN301 489-17 V3.2.0
EN301489-19 V2.1.0

Directive 2014/53/EU Art. 3.1a
EN62368-1:2014+A11:2017
EN50566:2017

Lisaseadmete kirjeldus, mis võimaldavad raadioseade, mis töötab mõeldud:

Mitte ühtegi

Tarkvara kirjeldus, mis võimaldab raadioseade, mis töötab mõeldud:

Installeeritud tarkvara on tootja täieliku kontrolli all, kasutajal puudub juurdepääs ja see on kooskõlas asjakohaste direktiividele.

Allkirjastatud nimel ja nimel Tait International Limited:



Linda White
Standards & Regulatory Manager
Tait International Limited
Christchurch,
New Zealand
14/11/2023

Loetletud tarvikud on heaks kiidetud kasutamiseks selle deklaratsiooni objektiga.

"x" tähistab erinevaid regulatiivseid kinnitusi, tarnijaid ja/või kaubamärke.

| Osa number | Kirjeldus (ainult teabeks) |
|---------------------|--|
| Liidese kast | |
| T02-00088-BAAA | TM93/94 Hand Held Control Head Interface Box |
| T02-00088-AAAA | TM93/94 Control Head Interface Box (Power/Dual Head) |
| T02-00088-CAAA | TM93/94 Remote Control Head Extender Unit |

Juhtpea pistikuga ühendatud tarvikud

| | |
|----------------|---|
| T02-00071-xxxx | TM9300/TM9400 Large Control Head Local Black |
| T02-00076-Axxx | TM9300/TM9400 Small Control Head Local Black (two digit low tier version) |
| T02-00076-Bxxx | TM9300/TM9400 Small Control Head Local Black (three digit low tier version) |
| T02-00081-AAAA | TM93/94 Control Head Remote Body End Multi Head Terminated+Bias |
| T02-00081-BAAA | TM93/94 Control Head Remote Body End Multi Body Terminated+Bias |
| T02-00081-BBAA | TM93/94 Control Head Remote Body End Multi Body Term No Bias |
| T02-00092-xxxx | TCH3 Local Control Head 8Ky |
| T02-00094-xxxx | TCH4 Remote Control Head 9Ky |
| T02-00096-xxxx | TCH6 Remote Control Head 21Ky |

Suure juhtpea tarvikud

| | |
|----------------|--|
| T02-00083-AAAA | TM93/94 Large Control Head Remote Head End Terminated |
| T02-00083-ABAA | TM93/94 Large Control Head Remote Head End Un-Terminated |

Käsijuhtimispea liidesekarbiga ühendatud tarvikud

| | |
|----------------|---|
| T02-00073-xxxx | TM9300/TM9400 Hand Held Control Head |
| TMAA10-10 | Remote PTT+ Microphone for Handheld Control Head Breakout Box |

Kõlari klemmide tarvikud

| | |
|----------------|---|
| TMAA10-03A | 10W External Speaker for 25W Radio Unbadged |
| T02-00004-0206 | 15W TM Rugged speaker |
| T02-00004-0201 | TM Horn Speaker Kit 112dB SPL For 25W Radio |

Axillary pistikuga ühendatud tarvikud

| | |
|----------------|--|
| T02-00005-ADCA | TM9300/9400 Remote PTT + Microphone |
| T02-00005-ADAA | TM Handsfree |
| TMAA05-01 | 16HVS GPS Receiver by Garmin or equivalent alternative |
| TMAA05-05 | GPS receiver DB15 Wisys WS5012 |
| TMAA05-06 | GPS receiver DB15 Through hole mount |

| | |
|----------------|---|
| T02-00025-1001 | GPS receiver by F-tech or equivalent alternative |
| T02-00025-1002 | GPS receiver Thru-hole mount by Tallysman or equivalent alternative |
| T02-00025-1003 | GPS receiver Mag-mount by Tallysman or equivalent alternative |

Sisemiste valikute pistikuga ühendatud tarvikud

| | |
|----------------|--|
| T02-00007-ABAA | TM Line Interface Board TDMA |
| T02-00007-BAAA | TM RS232 Interface Board TDMA |
| XA3140-01-PBA | PBA Vehicle PA Options Board |
| XA3140-21-PBA | PBA TA3140 Desktop Dual Unbalanced Board |
| XA3140-23-PBA | PBA TA3140 Desktop Balanced Audio plus Headset |
| TA3140-07 | Rx Low pass filter board |
| XA3140-07-PBA | PBA TA3140 desktop Balanced Audio Headset Receiver LPF |
| XA3423-01-PBA | PBA TMB enhanced iBus + I/F |
| XA3290-01-PBA | PBA ACC board line interface TDMA Raytheon |
| XMAA01-0100AC | PBA TMA line interface w/o PTT delay RS422 |
| XMAA01-0100AD | PBA TMA line interface w/o PTT delay Lothian |
| XA2675-02-PBA | PBA TM8K Dublin Bus RS-485 Interface |

Tarvikud, mis on ühendatud juht-/kaugjuhtimispea või liidesekarbi mikrofoniporti

| | |
|----------------|--------------------------------------|
| T02-00005-AAAA | TM9300/9400 Standard Microphone TDMA |
| T02-00005-AAAB | TM Standard Microphone TDMA Unbadged |
| T02-00005-ABAA | TM9300/9400 Keypad Microphone TDMA |
| T02-00005-ABBA | TM Keypad Microphone TDMA 3m Cord |
| T02-00005-ABAB | TM Keypad Microphone TDMA Unbadged |
| T02-00004-0101 | Telephone Style Handset |
| T02-00005-ACAA | TM9300/9400 Desktop Microphone |

Kaablid

| | |
|----------------|---|
| TMAA04-05 | 4m (13.12ft) Ignition Sense cable |
| TA3101-01 | Cable assembly 15W plug-15W socket Ign+IO |
| TMAA20-03 | Cable 25W Radio Power Connector to Banana Plug |
| TMAA21-02 | Cable T2000 Power Socket to TM8000 Power Plug |
| T03-00118-0601 | USB to RJ11 Serial Programming Cable |
| T02-00009-0301 | TM Aux Port 2 way breakout cable |
| T02-00034-ABAA | Cable Breakout Telemetry/Horn |
| TMAA03-44 | Cable Kit Ignition & External Alarm TAM Utility |
| TMAA04-09 | Cable Breakout Combiner Handheld Control Head |

| | |
|----------------|--|
| TMAA04-10 | Cable Breakout Extension Handheld Control Head |
| TMAA04-11 | Cable Ignition Sense Handheld Control Head |
| T02-00009-0201 | Cable Shielded 8 Core RJ45M/F Ext 1.6m (5ft) |
| T02-00009-0202 | Cable Shielded 8 Core RJ45M/F Ext 3m (10ft) |
| T02-00009-0203 | Cable Shielded 8 Core RJ45M/F Ext 6m (20ft) |
| T02-00009-0204 | Cable Shielded 8 Core RJ45M/F Ext 9m (30ft) |

Häll ja komplekt

| | |
|----------------|--|
| TMAA03-01 | U-Cradle Install Kit for 25W Radio BNC |
| TMAA03-06 | Desktop Power Supply U-Cradle inst Kit for 25W radio |
| TMAA03-09 | Desktop Power Supply Plinth inst Kit for 25W Radio |
| T02-00026-1002 | Kit Mobile Cable MUHF 25W |
| T02-00026-1001 | Kit Mobile Cable BNC 25W |
| TMAA11-01 | U-Cradle Re-Install Kit (x3 sets) |
| TMAA03-18 | Slide In Cradle Install Kit for 25W Radio BNC |
| TMAA03-02 | Security Cradle |
| TMAA30-06 | Internal Options Connector Kit |

Ραδιοφωνικός εξοπλισμός: TM9300/TM9400
Όνομα και διεύθυνση του κατασκευαστή: Tait International Ltd
245 Wooldridge Road
Christchurch
New Zealand

Αυτή η δήλωση συμμόρφωσης εκδίδεται με αποκλειστική ευθύνη του κατασκευαστή.

Αντικείμενο της δήλωσης: TMBH7A (450-520 MHz)
Το αντικείμενο της δήλωσης που περιγράφεται 2014/53/EU Radio Equipment Directive (RED)
παραπάνω είναι σύμφωνα με τη σχετική ενωσιακή 2012/19/EU Waste Electrical and Electronic Equipment Directive
νομοθεσία εναρμόνισης: (WEEE)
2011/65/EU Restriction of Hazardous Substances (RoHS)

Χρησιμοποιούνται σχετικά εναρμονισμένα πρότυπα: **Directive 2014/53/EU Art. 3.2**
EN300 086 V2.1.2
EN300 113 V2.2.1
EN300 219 V2.1.1
EN300 328 V2.2.2
EN303 413 V1.1.1

Directive 2014/53/EU Art. 3.1b
EN301 489-1 V2.2.0
EN301 489-5 V2.2.0
EN301 489-17 V3.2.0
EN301489-19 V2.1.0

Directive 2014/53/EU Art. 3.1a
EN62368-1:2014+A11:2017
EN50566:2017

Περιγραφή εξαρτημάτων που επιτρέπουν στον ραδιοεξοπλισμό να λειτουργεί όπως προβλέπεται:

Κανένας

Περιγραφή λογισμικού που επιτρέπει στον ραδιοεξοπλισμό να λειτουργεί όπως προβλέπεται:

Το εγκατεστημένο λογισμικό βρίσκεται υπό τον πλήρη έλεγχο του κατασκευαστή χωρίς πρόσβαση από τον χρήστη και συμμορφώνεται με τις σχετικές Οδηγίες.

Υπογράφηκε για λογαριασμό και για λογαριασμό της Tait International Limited:



Linda White
Standards & Regulatory Manager
Tait International Limited
Christchurch,
New Zealand
14/11/2023

Τα αναφερόμενα αξεσουάρ έχουν εγκριθεί για χρήση με το αντικείμενο της παρούσας δήλωσης.

Το 'x' υποδηλώνει διαφορετικές ρυθμιστικές εγκρίσεις, προμηθευτές ή/και επωνυμία.

| Αριθμός ανταλλακτικού | Περιγραφή (μόνο για πληροφορίες) |
|--------------------------|--|
| Κουτί διασύνδεσης | |
| T02-00088-BAAA | TM93/94 Hand Held Control Head Interface Box |
| T02-00088-AAAA | TM93/94 Control Head Interface Box (Power/Dual Head) |
| T02-00088-CAAA | TM93/94 Remote Control Head Extender Unit |

Αξεσουάρ συνδεδεμένα στον σύνδεσμο της κεφαλής ελέγχου

| | |
|----------------|---|
| T02-00071-xxxx | TM9300/TM9400 Large Control Head Local Black |
| T02-00076-Axxx | TM9300/TM9400 Small Control Head Local Black (two digit low tier version) |
| T02-00076-Bxxx | TM9300/TM9400 Small Control Head Local Black (three digit low tier version) |
| T02-00081-AAAA | TM93/94 Control Head Remote Body End Multi Head Terminated+Bias |
| T02-00081-BAAA | TM93/94 Control Head Remote Body End Multi Body Terminated+Bias |
| T02-00081-BBAA | TM93/94 Control Head Remote Body End Multi Body Term No Bias |
| T02-00092-xxxx | TCH3 Local Control Head 8Ky |
| T02-00094-xxxx | TCH4 Remote Control Head 9Ky |
| T02-00096-xxxx | TCH6 Remote Control Head 21Ky |

Αξεσουάρ για μεγάλη κεφαλή ελέγχου

| | |
|----------------|--|
| T02-00083-AAAA | TM93/94 Large Control Head Remote Head End Terminated |
| T02-00083-ABAA | TM93/94 Large Control Head Remote Head End Un-Terminated |

Αξεσουάρ συνδεδεμένα στο κουτί διασύνδεσης κεφαλής ελέγχου χειρός

| | |
|----------------|---|
| T02-00073-xxxx | TM9300/TM9400 Hand Held Control Head |
| TMAA10-10 | Remote PTT+ Microphone for Handheld Control Head Breakout Box |

Εξαρτήματα στα τερματικά ηχείων

| | |
|----------------|---|
| TMAA10-03A | 10W External Speaker for 25W Radio Unbadged |
| T02-00004-0206 | 15W TM Rugged speaker |
| T02-00004-0201 | TM Horn Speaker Kit 112dB SPL For 25W Radio |

Αξεσουάρ που συνδέονται με τη μασχαλιαία υποδοχή

| | |
|----------------|--|
| T02-00005-ADCA | TM9300/9400 Remote PTT + Microphone |
| T02-00005-ADAA | TM Handsfree |
| TMAA05-01 | 16HVS GPS Receiver by Garmin or equivalent alternative |
| TMAA05-05 | GPS receiver DB15 Wisys WS5012 |

| | |
|----------------|---|
| TMAA05-06 | GPS receiver DB15 Through hole mount |
| T02-00025-1001 | GPS receiver by F-tech or equivalent alternative |
| T02-00025-1002 | GPS receiver Thru-hole mount by Tallysman or equivalent alternative |
| T02-00025-1003 | GPS receiver Mag-mount by Tallysman or equivalent alternative |

Αξεσουάρ συνδεδεμένα στην υποδοχή εσωτερικών επιλογών

| | |
|----------------|--|
| T02-00007-ABAA | TM Line Interface Board TDMA |
| T02-00007-BAAA | TM RS232 Interface Board TDMA |
| XA3140-01-PBA | PBA Vehicle PA Options Board |
| XA3140-21-PBA | PBA TA3140 Desktop Dual Unbalanced Board |
| XA3140-23-PBA | PBA TA3140 Desktop Balanced Audio plus Headset |
| TA3140-07 | Rx Low pass filter board |
| XA3140-07-PBA | PBA TA3140 desktop Balanced Audio Headset Receiver LPF |
| XA3423-01-PBA | PBA TMB enhanced iBus + I/F |
| XA3290-01-PBA | PBA ACC board line interface TDMA Raytheon |
| XMAA01-0100AC | PBA TMA line interface w/o PTT delay RS422 |
| XMAA01-0100AD | PBA TMA line interface w/o PTT delay Lothian |
| XA2675-02-PBA | PBA TM8K Dublin Bus RS-485 Interface |

Αξεσουάρ συνδεδεμένα στη θύρα μικροφώνου της κεφαλής ελέγχου/τηλεχειριστήριου ή στο κουτί διασύνδεσης

| | |
|----------------|--------------------------------------|
| T02-00005-AAAA | TM9300/9400 Standard Microphone TDMA |
| T02-00005-AAAB | TM Standard Microphone TDMA Unbadged |
| T02-00005-ABAA | TM9300/9400 Keypad Microphone TDMA |
| T02-00005-ABBA | TM Keypad Microphone TDMA 3m Cord |
| T02-00005-ABAB | TM Keypad Microphone TDMA Unbadged |
| T02-00004-0101 | Telephone Style Handset |
| T02-00005-ACAA | TM9300/9400 Desktop Microphone |

Καλώδια

| | |
|----------------|---|
| TMAA04-05 | 4m (13.12ft) Ignition Sense cable |
| TA3101-01 | Cable assembly 15W plug-15W socket Ign+IO |
| TMAA20-03 | Cable 25W Radio Power Connector to Banana Plug |
| TMAA21-02 | Cable T2000 Power Socket to TM8000 Power Plug |
| T03-00118-0601 | USB to RJ11 Serial Programming Cable |
| T02-00009-0301 | TM Aux Port 2 way breakout cable |
| T02-00034-ABAA | Cable Breakout Telemetry/Horn |
| TMAA03-44 | Cable Kit Ignition & External Alarm TAM Utility |
| TMAA04-09 | Cable Breakout Combiner Handheld Control Head |

| | |
|----------------|--|
| TMAA04-10 | Cable Breakout Extension Handheld Control Head |
| TMAA04-11 | Cable Ignition Sense Handheld Control Head |
| T02-00009-0201 | Cable Shielded 8 Core RJ45M/F Ext 1.6m (5ft) |
| T02-00009-0202 | Cable Shielded 8 Core RJ45M/F Ext 3m (10ft) |
| T02-00009-0203 | Cable Shielded 8 Core RJ45M/F Ext 6m (20ft) |
| T02-00009-0204 | Cable Shielded 8 Core RJ45M/F Ext 9m (30ft) |

Κούνια και κιτ

| | |
|----------------|--|
| TMAA03-01 | U-Cradle Install Kit for 25W Radio BNC |
| TMAA03-06 | Desktop Power Supply U-Cradle inst Kit for 25W radio |
| TMAA03-09 | Desktop Power Supply Plinth inst Kit for 25W Radio |
| T02-00026-1002 | Kit Mobile Cable MUHF 25W |
| T02-00026-1001 | Kit Mobile Cable BNC 25W |
| TMAA11-01 | U-Cradle Re-Install Kit (x3 sets) |
| TMAA03-18 | Slide In Cradle Install Kit for 25W Radio BNC |
| TMAA03-02 | Security Cradle |
| TMAA30-06 | Internal Options Connector Kit |

Radiolaitteet: TM9300/TM9400
Valmistajan nimi ja osoite: Tait International Ltd
245 Wooldridge Road
Christchurch
New Zealand

Tämä vaatimustenmukaisuusvakuutus on annettu valmistajan yksinomaisella vastuulla.

Ilmoituksen kohde: TMBH7A (450-520 MHz)
Edellä kuvatun vakuutuksen tarkoitus on asiaa koskevan 2014/53/EU Radio Equipment Directive (RED)
unionin yhdenmukaistamislainsäädännön mukainen: 2012/19/EU Waste Electrical and Electronic Equipment Directive
(WEEE)
2011/65/EU Restriction of Hazardous Substances (RoHS)

Käytetyt asiaankuuluvat yhdenmukaistetut standardit: **Directive 2014/53/EU Art. 3.2**
EN300 086 V2.1.2
EN300 113 V2.2.1
EN300 219 V2.1.1
EN300 328 V2.2.2
EN303 413 V1.1.1

Directive 2014/53/EU Art. 3.1b
EN301 489-1 V2.2.0
EN301 489-5 V2.2.0
EN301 489-17 V3.2.0
EN301489-19 V2.1.0

Directive 2014/53/EU Art. 3.1a
EN62368-1:2014+A11:2017
EN50566:2017

Kuvaus lisävarusteista, jotka mahdollistavat radiolaitteen toiminnan tarkoitetulla tavalla:

Ei mitään

Kuvaus ohjelmistosta, joka mahdollistaa radiolaitteen toiminnan tarkoitetulla tavalla:

Asennettu ohjelmisto on täysin valmistajan hallinnassa ilman käyttäjän pääsyä ja on asiaankuuluvien direktiivien mukainen.

Allekirjoitettu puolesta ja puolesta Tait International Limited:



Linda White
Standards & Regulatory Manager
Tait International Limited
Christchurch,
New Zealand
14/11/2023

Lisätarvikkeet

Luetellut lisävarusteet on hyväksytty käytettäväksi tämän vakuutuksen kohteena.

"x" tarkoittaa erilaisia viranomaisyhdyntöjä, toimittajia ja/tai tuotemerkkejä.

| Osa numero | Kuvaus (vain tiedoksi) |
|-------------------------|--|
| liitäntälaatikko | |
| T02-00088-BAAA | TM93/94 Hand Held Control Head Interface Box |
| T02-00088-AAAA | TM93/94 Control Head Interface Box (Power/Dual Head) |
| T02-00088-CAAA | TM93/94 Remote Control Head Extender Unit |

Ohjauspään liittimeen kytketty lisävaruste

| | |
|----------------|---|
| T02-00071-xxxx | TM9300/TM9400 Large Control Head Local Black |
| T02-00076-Axxx | TM9300/TM9400 Small Control Head Local Black (two digit low tier version) |
| T02-00076-Bxxx | TM9300/TM9400 Small Control Head Local Black (three digit low tier version) |
| T02-00081-AAAA | TM93/94 Control Head Remote Body End Multi Head Terminated+Bias |
| T02-00081-BAAA | TM93/94 Control Head Remote Body End Multi Body Terminated+Bias |
| T02-00081-BBAA | TM93/94 Control Head Remote Body End Multi Body Term No Bias |
| T02-00092-xxxx | TCH3 Local Control Head 8Ky |
| T02-00094-xxxx | TCH4 Remote Control Head 9Ky |
| T02-00096-xxxx | TCH6 Remote Control Head 21Ky |

Lisävarusteet suureen ohjauspäähän

| | |
|----------------|--|
| T02-00083-AAAA | TM93/94 Large Control Head Remote Head End Terminated |
| T02-00083-ABAA | TM93/94 Large Control Head Remote Head End Un-Terminated |

Lisävarusteet, jotka on liitetty käsikäyttöiseen ohjauspään liitäntälaatikkoon

| | |
|----------------|---|
| T02-00073-xxxx | TM9300/TM9400 Hand Held Control Head |
| TMAA10-10 | Remote PTT+ Microphone for Handheld Control Head Breakout Box |

Lisävarusteet kaiutinliittimiin

| | |
|----------------|---|
| TMAA10-03A | 10W External Speaker for 25W Radio Unbadged |
| T02-00004-0206 | 15W TM Rugged speaker |
| T02-00004-0201 | TM Horn Speaker Kit 112dB SPL For 25W Radio |

Axillary-liittimeen kytketyt lisävarusteet

| | |
|----------------|--|
| T02-00005-ADCA | TM9300/9400 Remote PTT + Microphone |
| T02-00005-ADAA | TM Handsfree |
| TMAA05-01 | 16HVS GPS Receiver by Garmin or equivalent alternative |
| TMAA05-05 | GPS receiver DB15 Wisys WS5012 |

| | |
|----------------|---|
| TMAA05-06 | GPS receiver DB15 Through hole mount |
| T02-00025-1001 | GPS receiver by F-tech or equivalent alternative |
| T02-00025-1002 | GPS receiver Thru-hole mount by Tallysman or equivalent alternative |
| T02-00025-1003 | GPS receiver Mag-mount by Tallysman or equivalent alternative |

Lisävarusteet liitetty sisäisten lisävarusteiden liittimeen

| | |
|----------------|--|
| T02-00007-ABAA | TM Line Interface Board TDMA |
| T02-00007-BAAA | TM RS232 Interface Board TDMA |
| XA3140-01-PBA | PBA Vehicle PA Options Board |
| XA3140-21-PBA | PBA TA3140 Desktop Dual Unbalanced Board |
| XA3140-23-PBA | PBA TA3140 Desktop Balanced Audio plus Headset |
| TA3140-07 | Rx Low pass filter board |
| XA3140-07-PBA | PBA TA3140 desktop Balanced Audio Headset Receiver LPF |
| XA3423-01-PBA | PBA TMB enhanced iBus + I/F |
| XA3290-01-PBA | PBA ACC board line interface TDMA Raytheon |
| XMAA01-0100AC | PBA TMA line interface w/o PTT delay RS422 |
| XMAA01-0100AD | PBA TMA line interface w/o PTT delay Lothian |
| XA2675-02-PBA | PBA TM8K Dublin Bus RS-485 Interface |

Ohjaus-/kaukosäätimen mikrofoniporttiin tai liitännärasiaan liitetyt lisävarusteet

| | |
|----------------|--------------------------------------|
| T02-00005-AAAA | TM9300/9400 Standard Microphone TDMA |
| T02-00005-AAAB | TM Standard Microphone TDMA Unbadged |
| T02-00005-ABAA | TM9300/9400 Keypad Microphone TDMA |
| T02-00005-ABBA | TM Keypad Microphone TDMA 3m Cord |
| T02-00005-ABAB | TM Keypad Microphone TDMA Unbadged |
| T02-00004-0101 | Telephone Style Handset |
| T02-00005-ACAA | TM9300/9400 Desktop Microphone |

Kaapelit

| | |
|----------------|---|
| TMAA04-05 | 4m (13.12ft) Ignition Sense cable |
| TA3101-01 | Cable assembly 15W plug-15W socket Ign+IO |
| TMAA20-03 | Cable 25W Radio Power Connector to Banana Plug |
| TMAA21-02 | Cable T2000 Power Socket to TM8000 Power Plug |
| T03-00118-0601 | USB to RJ11 Serial Programming Cable |
| T02-00009-0301 | TM Aux Port 2 way breakout cable |
| T02-00034-ABAA | Cable Breakout Telemetry/Horn |
| TMAA03-44 | Cable Kit Ignition & External Alarm TAM Utility |
| TMAA04-09 | Cable Breakout Combiner Handheld Control Head |

| | |
|----------------|--|
| TMAA04-10 | Cable Breakout Extension Handheld Control Head |
| TMAA04-11 | Cable Ignition Sense Handheld Control Head |
| T02-00009-0201 | Cable Shielded 8 Core RJ45M/F Ext 1.6m (5ft) |
| T02-00009-0202 | Cable Shielded 8 Core RJ45M/F Ext 3m (10ft) |
| T02-00009-0203 | Cable Shielded 8 Core RJ45M/F Ext 6m (20ft) |
| T02-00009-0204 | Cable Shielded 8 Core RJ45M/F Ext 9m (30ft) |

Teline ja sarja

| | |
|----------------|--|
| TMAA03-01 | U-Cradle Install Kit for 25W Radio BNC |
| TMAA03-06 | Desktop Power Supply U-Cradle inst Kit for 25W radio |
| TMAA03-09 | Desktop Power Supply Plinth inst Kit for 25W Radio |
| T02-00026-1002 | Kit Mobile Cable MUHF 25W |
| T02-00026-1001 | Kit Mobile Cable BNC 25W |
| TMAA11-01 | U-Cradle Re-Install Kit (x3 sets) |
| TMAA03-18 | Slide In Cradle Install Kit for 25W Radio BNC |
| TMAA03-02 | Security Cradle |
| TMAA30-06 | Internal Options Connector Kit |

Radio oprema: TM9300/TM9400
Naziv i adresa proizvođača: Tait International Ltd
245 Wooldridge Road
Christchurch
New Zealand

Ova izjava o sukladnosti izdana je pod isključivom odgovornošću proizvođača.

Predmet deklaracije: TMBH7A (450-520 MHz)
Predmet gore opisane izjave u skladu je s relevantnim 2014/53/EU Radio Equipment Directive (RED)
zakonodavstvom Unije o usklađivanju: 2012/19/EU Waste Electrical and Electronic Equipment Directive (WEEE)
2011/65/EU Restriction of Hazardous Substances (RoHS)

Korišteni relevantni usklađeni standardi: **Directive 2014/53/EU Art. 3.2**
EN300 086 V2.1.2
EN300 113 V2.2.1
EN300 219 V2.1.1
EN300 328 V2.2.2
EN303 413 V1.1.1
Directive 2014/53/EU Art. 3.1b
EN301 489-1 V2.2.0
EN301 489-5 V2.2.0
EN301 489-17 V3.2.0
EN301489-19 V2.1.0
Directive 2014/53/EU Art. 3.1a
EN62368-1:2014+A11:2017
EN50566:2017

Opis dodataka koji omogućuju radio opremi da radi kako je predviđeno: Nijedan
Opis softvera koji omogućuje radio opremi da radi kako je predviđeno: Instalirani softver je pod potpunom kontrolom proizvođača bez pristupa korisnika i u skladu je s relevantnim direktivama.

Potpisano za i u ime Tait International Limited:



Linda White
Standards & Regulatory Manager
Tait International Limited
Christchurch,
New Zealand
14/11/2023

Navedeni pribor odobren je za korištenje s predmetom ove izjave.

'x' označava različita regulatorna odobrenja, dobavljače i/ili marku.

| Broj dijela | Opis (samo za informaciju) |
|-----------------------|--|
| Kutija sučelja | |
| T02-00088-BAAA | TM93/94 Hand Held Control Head Interface Box |
| T02-00088-AAAA | TM93/94 Control Head Interface Box (Power/Dual Head) |
| T02-00088-CAAA | TM93/94 Remote Control Head Extender Unit |

Pribor spojen na konektor kontrolne glave

| | |
|----------------|---|
| T02-00071-xxxx | TM9300/TM9400 Large Control Head Local Black |
| T02-00076-Axxx | TM9300/TM9400 Small Control Head Local Black (two digit low tier version) |
| T02-00076-Bxxx | TM9300/TM9400 Small Control Head Local Black (three digit low tier version) |
| T02-00081-AAAA | TM93/94 Control Head Remote Body End Multi Head Terminated+Bias |
| T02-00081-BAAA | TM93/94 Control Head Remote Body End Multi Body Terminated+Bias |
| T02-00081-BBAA | TM93/94 Control Head Remote Body End Multi Body Term No Bias |
| T02-00092-xxxx | TCH3 Local Control Head 8Ky |
| T02-00094-xxxx | TCH4 Remote Control Head 9Ky |
| T02-00096-xxxx | TCH6 Remote Control Head 21Ky |

Pribor za veliku kontrolnu glavu

| | |
|----------------|--|
| T02-00083-AAAA | TM93/94 Large Control Head Remote Head End Terminated |
| T02-00083-ABAA | TM93/94 Large Control Head Remote Head End Un-Terminated |

Pribor spojen na kutiju sučelja za ručnu upravljačku glavu

| | |
|----------------|---|
| T02-00073-xxxx | TM9300/TM9400 Hand Held Control Head |
| TMAA10-10 | Remote PTT+ Microphone for Handheld Control Head Breakout Box |

Pribor za terminale zvučnika

| | |
|----------------|---|
| TMAA10-03A | 10W External Speaker for 25W Radio Unbadged |
| T02-00004-0206 | 15W TM Rugged speaker |
| T02-00004-0201 | TM Horn Speaker Kit 112dB SPL For 25W Radio |

Pribor spojen na aksilarni konektor

| | |
|----------------|--|
| T02-00005-ADCA | TM9300/9400 Remote PTT + Microphone |
| T02-00005-ADAA | TM Handsfree |
| TMAA05-01 | 16HVS GPS Receiver by Garmin or equivalent alternative |
| TMAA05-05 | GPS receiver DB15 Wisys WS5012 |
| TMAA05-06 | GPS receiver DB15 Through hole mount |

| | |
|----------------|---|
| T02-00025-1001 | GPS receiver by F-tech or equivalent alternative |
| T02-00025-1002 | GPS receiver Thru-hole mount by Tallysman or equivalent alternative |
| T02-00025-1003 | GPS receiver Mag-mount by Tallysman or equivalent alternative |

Pribor spojen na konektor internih opcija

| | |
|----------------|--|
| T02-00007-ABAA | TM Line Interface Board TDMA |
| T02-00007-BAAA | TM RS232 Interface Board TDMA |
| XA3140-01-PBA | PBA Vehicle PA Options Board |
| XA3140-21-PBA | PBA TA3140 Desktop Dual Unbalanced Board |
| XA3140-23-PBA | PBA TA3140 Desktop Balanced Audio plus Headset |
| TA3140-07 | Rx Low pass filter board |
| XA3140-07-PBA | PBA TA3140 desktop Balanced Audio Headset Receiver LPF |
| XA3423-01-PBA | PBA TMB enhanced iBus + I/F |
| XA3290-01-PBA | PBA ACC board line interface TDMA Raytheon |
| XMAA01-0100AC | PBA TMA line interface w/o PTT delay RS422 |
| XMAA01-0100AD | PBA TMA line interface w/o PTT delay Lothian |
| XA2675-02-PBA | PBA TM8K Dublin Bus RS-485 Interface |

Pribor spojen na priključak za mikrofonski na upravljačkoj/daljinskoj glavi ili kutiji sučelja

| | |
|----------------|--------------------------------------|
| T02-00005-AAAA | TM9300/9400 Standard Microphone TDMA |
| T02-00005-AAAB | TM Standard Microphone TDMA Unbadged |
| T02-00005-ABAA | TM9300/9400 Keypad Microphone TDMA |
| T02-00005-ABBA | TM Keypad Microphone TDMA 3m Cord |
| T02-00005-ABAB | TM Keypad Microphone TDMA Unbadged |
| T02-00004-0101 | Telephone Style Handset |
| T02-00005-ACAA | TM9300/9400 Desktop Microphone |

Kablovi

| | |
|----------------|---|
| TMAA04-05 | 4m (13.12ft) Ignition Sense cable |
| TA3101-01 | Cable assembly 15W plug-15W socket Ign+IO |
| TMAA20-03 | Cable 25W Radio Power Connector to Banana Plug |
| TMAA21-02 | Cable T2000 Power Socket to TM8000 Power Plug |
| T03-00118-0601 | USB to RJ11 Serial Programming Cable |
| T02-00009-0301 | TM Aux Port 2 way breakout cable |
| T02-00034-ABAA | Cable Breakout Telemetry/Horn |
| TMAA03-44 | Cable Kit Ignition & External Alarm TAM Utility |
| TMAA04-09 | Cable Breakout Combiner Handheld Control Head |

| | |
|----------------|--|
| TMAA04-10 | Cable Breakout Extension Handheld Control Head |
| TMAA04-11 | Cable Ignition Sense Handheld Control Head |
| T02-00009-0201 | Cable Shielded 8 Core RJ45M/F Ext 1.6m (5ft) |
| T02-00009-0202 | Cable Shielded 8 Core RJ45M/F Ext 3m (10ft) |
| T02-00009-0203 | Cable Shielded 8 Core RJ45M/F Ext 6m (20ft) |
| T02-00009-0204 | Cable Shielded 8 Core RJ45M/F Ext 9m (30ft) |

Kolijevka i komplet

| | |
|----------------|--|
| TMAA03-01 | U-Cradle Install Kit for 25W Radio BNC |
| TMAA03-06 | Desktop Power Supply U-Cradle inst Kit for 25W radio |
| TMAA03-09 | Desktop Power Supply Plinth inst Kit for 25W Radio |
| T02-00026-1002 | Kit Mobile Cable MUHF 25W |
| T02-00026-1001 | Kit Mobile Cable BNC 25W |
| TMAA11-01 | U-Cradle Re-Install Kit (x3 sets) |
| TMAA03-18 | Slide In Cradle Install Kit for 25W Radio BNC |
| TMAA03-02 | Security Cradle |
| TMAA30-06 | Internal Options Connector Kit |

Radijo aparatūra: TM9300/TM9400
Gamintojo pavadinimas ir adresas: Tait International Ltd
245 Wooldridge Road
Christchurch
New Zealand

Ši atitikties deklaracija išduodama tik gamintojo atsakomybe.

Deklaracijos objektas: TMBH7A (450-520 MHz)
Pirmiau aprašytos deklaracijos objektas atitinka 2014/53/EU Radio Equipment Directive (RED)
atitinkamus derinamus Sąjungos teisės aktus: 2012/19/EU Waste Electrical and Electronic Equipment Directive
(WEEE)
2011/65/EU Restriction of Hazardous Substances (RoHS)

Naudojami atitinkami darnieji standartai: **Directive 2014/53/EU Art. 3.2**
EN300 086 V2.1.2
EN300 113 V2.2.1
EN300 219 V2.1.1
EN300 328 V2.2.2
EN303 413 V1.1.1

Directive 2014/53/EU Art. 3.1b

EN301 489-1 V2.2.0
EN301 489-5 V2.2.0
EN301 489-17 V3.2.0
EN301489-19 V2.1.0

Directive 2014/53/EU Art. 3.1a

EN62368-1:2014+A11:2017
EN50566:2017

Priedų, leidžiančių radijo įrangai veikti taip, kaip numatyta, aprašymas:

Nė vienas

Programinės įrangos, leidžiančios radijo įrangai veikti taip, kaip numatyta, aprašymas:

Įdiegtą programinę įrangą visiškai kontroliuoja gamintojas, vartotojas neturi prieigos ir atitinka atitinkamus direktyvas.

Pasirašyta Tait International Limited vardu:



Linda White
Standards & Regulatory Manager
Tait International Limited
Christchurch,
New Zealand
14/11/2023

Išvardinti priedai yra patvirtinti naudoti su šios deklaracijos objektu.

„x“ reiškia skirtingus reguliavimo patvirtinimus, tiekėjus ir (arba) prekės ženklą.

| Dalies numeris | Aprašymas (tik informacijai) |
|-----------------------|--|
| Sąsajos dėžutė | |
| T02-00088-BAAA | TM93/94 Hand Held Control Head Interface Box |
| T02-00088-AAAA | TM93/94 Control Head Interface Box (Power/Dual Head) |
| T02-00088-CAAA | TM93/94 Remote Control Head Extender Unit |

Priedai prijungti prie valdymo galvutės jungties

| | |
|----------------|---|
| T02-00071-xxxx | TM9300/TM9400 Large Control Head Local Black |
| T02-00076-Axxx | TM9300/TM9400 Small Control Head Local Black (two digit low tier version) |
| T02-00076-Bxxx | TM9300/TM9400 Small Control Head Local Black (three digit low tier version) |
| T02-00081-AAAA | TM93/94 Control Head Remote Body End Multi Head Terminated+Bias |
| T02-00081-BAAA | TM93/94 Control Head Remote Body End Multi Body Terminated+Bias |
| T02-00081-BBAA | TM93/94 Control Head Remote Body End Multi Body Term No Bias |
| T02-00092-xxxx | TCH3 Local Control Head 8Ky |
| T02-00094-xxxx | TCH4 Remote Control Head 9Ky |
| T02-00096-xxxx | TCH6 Remote Control Head 21Ky |

Didelės valdymo galvutės priedai

| | |
|----------------|--|
| T02-00083-AAAA | TM93/94 Large Control Head Remote Head End Terminated |
| T02-00083-ABAA | TM93/94 Large Control Head Remote Head End Un-Terminated |

Priedai, prijungti prie rankinės valdymo galvutės sąsajos dėžutės

| | |
|----------------|---|
| T02-00073-xxxx | TM9300/TM9400 Hand Held Control Head |
| TMAA10-10 | Remote PTT+ Microphone for Handheld Control Head Breakout Box |

Priedai prie garsiakalbių gnybtų

| | |
|----------------|---|
| TMAA10-03A | 10W External Speaker for 25W Radio Unbadged |
| T02-00004-0206 | 15W TM Rugged speaker |
| T02-00004-0201 | TM Horn Speaker Kit 112dB SPL For 25W Radio |

Priedai prijungti prie ašies jungties

| | |
|----------------|--|
| T02-00005-ADCA | TM9300/9400 Remote PTT + Microphone |
| T02-00005-ADAA | TM Handsfree |
| TMAA05-01 | 16HVS GPS Receiver by Garmin or equivalent alternative |
| TMAA05-05 | GPS receiver DB15 Wisys WS5012 |
| TMAA05-06 | GPS receiver DB15 Through hole mount |

| | |
|----------------|---|
| T02-00025-1001 | GPS receiver by F-tech or equivalent alternative |
| T02-00025-1002 | GPS receiver Thru-hole mount by Tallysman or equivalent alternative |
| T02-00025-1003 | GPS receiver Mag-mount by Tallysman or equivalent alternative |

Priedai prijungti prie vidinių parinkčių jungties

| | |
|----------------|--|
| T02-00007-ABAA | TM Line Interface Board TDMA |
| T02-00007-BAAA | TM RS232 Interface Board TDMA |
| XA3140-01-PBA | PBA Vehicle PA Options Board |
| XA3140-21-PBA | PBA TA3140 Desktop Dual Unbalanced Board |
| XA3140-23-PBA | PBA TA3140 Desktop Balanced Audio plus Headset |
| TA3140-07 | Rx Low pass filter board |
| XA3140-07-PBA | PBA TA3140 desktop Balanced Audio Headset Receiver LPF |
| XA3423-01-PBA | PBA TMB enhanced iBus + I/F |
| XA3290-01-PBA | PBA ACC board line interface TDMA Raytheon |
| XMAA01-0100AC | PBA TMA line interface w/o PTT delay RS422 |
| XMAA01-0100AD | PBA TMA line interface w/o PTT delay Lothian |
| XA2675-02-PBA | PBA TM8K Dublin Bus RS-485 Interface |

Priedai prijungti prie valdymo / nuotolinio valdymo pulto arba sąsajos dėžutės mikrofono priedado

| | |
|----------------|--------------------------------------|
| T02-00005-AAAA | TM9300/9400 Standard Microphone TDMA |
| T02-00005-AAAB | TM Standard Microphone TDMA Unbadged |
| T02-00005-ABAA | TM9300/9400 Keypad Microphone TDMA |
| T02-00005-ABBA | TM Keypad Microphone TDMA 3m Cord |
| T02-00005-ABAB | TM Keypad Microphone TDMA Unbadged |
| T02-00004-0101 | Telephone Style Handset |
| T02-00005-ACAA | TM9300/9400 Desktop Microphone |

Kabeliai

| | |
|----------------|---|
| TMAA04-05 | 4m (13.12ft) Ignition Sense cable |
| TA3101-01 | Cable assembly 15W plug-15W socket Ign+IO |
| TMAA20-03 | Cable 25W Radio Power Connector to Banana Plug |
| TMAA21-02 | Cable T2000 Power Socket to TM8000 Power Plug |
| T03-00118-0601 | USB to RJ11 Serial Programming Cable |
| T02-00009-0301 | TM Aux Port 2 way breakout cable |
| T02-00034-ABAA | Cable Breakout Telemetry/Horn |
| TMAA03-44 | Cable Kit Ignition & External Alarm TAM Utility |
| TMAA04-09 | Cable Breakout Combiner Handheld Control Head |

| | |
|----------------|--|
| TMAA04-10 | Cable Breakout Extension Handheld Control Head |
| TMAA04-11 | Cable Ignition Sense Handheld Control Head |
| T02-00009-0201 | Cable Shielded 8 Core RJ45M/F Ext 1.6m (5ft) |
| T02-00009-0202 | Cable Shielded 8 Core RJ45M/F Ext 3m (10ft) |
| T02-00009-0203 | Cable Shielded 8 Core RJ45M/F Ext 6m (20ft) |
| T02-00009-0204 | Cable Shielded 8 Core RJ45M/F Ext 9m (30ft) |

Lopšys ir komplektas

| | |
|----------------|--|
| TMAA03-01 | U-Cradle Install Kit for 25W Radio BNC |
| TMAA03-06 | Desktop Power Supply U-Cradle inst Kit for 25W radio |
| TMAA03-09 | Desktop Power Supply Plinth inst Kit for 25W Radio |
| T02-00026-1002 | Kit Mobile Cable MUHF 25W |
| T02-00026-1001 | Kit Mobile Cable BNC 25W |
| TMAA11-01 | U-Cradle Re-Install Kit (x3 sets) |
| TMAA03-18 | Slide In Cradle Install Kit for 25W Radio BNC |
| TMAA03-02 | Security Cradle |
| TMAA30-06 | Internal Options Connector Kit |

Radio aparatūra: TM9300/TM9400
Ražotāja nosaukums un adrese: Tait International Ltd
245 Wooldridge Road
Christchurch
New Zealand

Par šīs atbilstības deklarācijas izdošanu atbild tikai ražotājs.

Deklarācijas priekšmets: TMBH7A (450-520 MHz)
Iepriekš aprakstītās deklarācijas priekšmets ir saskaņā ar 2014/53/EU Radio Equipment Directive (RED)
attiecīgajiem Savienības saskaņošanas tiesību aktiem: 2012/19/EU Waste Electrical and Electronic Equipment
Directive (WEEE)
2011/65/EU Restriction of Hazardous Substances (RoHS)

Izmantotie attiecīgie saskaņotie standarti:

Directive 2014/53/EU Art. 3.2

EN300 086 V2.1.2

EN300 113 V2.2.1

EN300 219 V2.1.1

EN300 328 V2.2.2

EN303 413 V1.1.1

Directive 2014/53/EU Art. 3.1b

EN301 489-1 V2.2.0

EN301 489-5 V2.2.0

EN301 489-17 V3.2.0

EN301489-19 V2.1.0

Directive 2014/53/EU Art. 3.1a

EN62368-1:2014+A11:2017

EN50566:2017

To piederumu apraksts, kas ļauj radioiekārtai darboties, kā paredzēts:

Programmatūras apraksts, kas ļauj radioiekārtai darboties, kā paredzēts:

Parakstīts vārdā un vārdā Tait International Limited:

Nav

Instalētā programmatūra ir pilnībā ražotāja kontrolē, un lietotājam nav piekļuves, un tā atbilst attiecīgajām direktīvām.



Linda White
Standards & Regulatory Manager
Tait International Limited
Christchurch,
New Zealand
14/11/2023

Uzskaitītie piederumi ir apstiprināti lietošanai ar šīs deklarācijas priekšmetu.

“x” apzīmē dažādus normatīvos apstiprinājumus, piegādātājus un/vai zīmolu.

| Daļas numurs | Apraksts (tikai informācijai) |
|-------------------------|--|
| Interfeisa kaste | |
| T02-00088-BAAA | TM93/94 Hand Held Control Head Interface Box |
| T02-00088-AAAA | TM93/94 Control Head Interface Box (Power/Dual Head) |
| T02-00088-CAAA | TM93/94 Remote Control Head Extender Unit |

Piederumi savienoti ar vadības galviņas savienotāju

| | |
|----------------|---|
| T02-00071-xxxx | TM9300/TM9400 Large Control Head Local Black |
| T02-00076-Axxx | TM9300/TM9400 Small Control Head Local Black (two digit low tier version) |
| T02-00076-Bxxx | TM9300/TM9400 Small Control Head Local Black (three digit low tier version) |
| T02-00081-AAAA | TM93/94 Control Head Remote Body End Multi Head Terminated+Bias |
| T02-00081-BAAA | TM93/94 Control Head Remote Body End Multi Body Terminated+Bias |
| T02-00081-BBAA | TM93/94 Control Head Remote Body End Multi Body Term No Bias |
| T02-00092-xxxx | TCH3 Local Control Head 8Ky |
| T02-00094-xxxx | TCH4 Remote Control Head 9Ky |
| T02-00096-xxxx | TCH6 Remote Control Head 21Ky |

Piederumi lielajai vadības galviņai

| | |
|----------------|--|
| T02-00083-AAAA | TM93/94 Large Control Head Remote Head End Terminated |
| T02-00083-ABAA | TM93/94 Large Control Head Remote Head End Un-Terminated |

Piederumi, kas savienoti ar rokas vadības galviņas interfeisa kārbu

| | |
|----------------|---|
| T02-00073-xxxx | TM9300/TM9400 Hand Held Control Head |
| TMAA10-10 | Remote PTT+ Microphone for Handheld Control Head Breakout Box |

Skaļruņu spaiļu piederumi

| | |
|----------------|---|
| TMAA10-03A | 10W External Speaker for 25W Radio Unbadged |
| T02-00004-0206 | 15W TM Rugged speaker |
| T02-00004-0201 | TM Horn Speaker Kit 112dB SPL For 25W Radio |

Piederumi savienoti ar Axillary savienotāju

| | |
|----------------|--|
| T02-00005-ADCA | TM9300/9400 Remote PTT + Microphone |
| T02-00005-ADAA | TM Handsfree |
| TMAA05-01 | 16HVS GPS Receiver by Garmin or equivalent alternative |
| TMAA05-05 | GPS receiver DB15 Wisys WS5012 |
| TMAA05-06 | GPS receiver DB15 Through hole mount |

| | |
|----------------|---|
| T02-00025-1001 | GPS receiver by F-tech or equivalent alternative |
| T02-00025-1002 | GPS receiver Thru-hole mount by Tallysman or equivalent alternative |
| T02-00025-1003 | GPS receiver Mag-mount by Tallysman or equivalent alternative |

Piederumi savienoti ar iekšējo opciju savienotāju

| | |
|----------------|--|
| T02-00007-ABAA | TM Line Interface Board TDMA |
| T02-00007-BAAA | TM RS232 Interface Board TDMA |
| XA3140-01-PBA | PBA Vehicle PA Options Board |
| XA3140-21-PBA | PBA TA3140 Desktop Dual Unbalanced Board |
| XA3140-23-PBA | PBA TA3140 Desktop Balanced Audio plus Headset |
| TA3140-07 | Rx Low pass filter board |
| XA3140-07-PBA | PBA TA3140 desktop Balanced Audio Headset Receiver LPF |
| XA3423-01-PBA | PBA TMB enhanced iBus + I/F |
| XA3290-01-PBA | PBA ACC board line interface TDMA Raytheon |
| XMAA01-0100AC | PBA TMA line interface w/o PTT delay RS422 |
| XMAA01-0100AD | PBA TMA line interface w/o PTT delay Lothian |
| XA2675-02-PBA | PBA TM8K Dublin Bus RS-485 Interface |

Piederumi, kas pievienoti vadības/tālvadības galviņas vai interfeisa kastes mikroфона portam

| | |
|----------------|--------------------------------------|
| T02-00005-AAAA | TM9300/9400 Standard Microphone TDMA |
| T02-00005-AAAB | TM Standard Microphone TDMA Unbadged |
| T02-00005-ABAA | TM9300/9400 Keypad Microphone TDMA |
| T02-00005-ABBA | TM Keypad Microphone TDMA 3m Cord |
| T02-00005-ABAB | TM Keypad Microphone TDMA Unbadged |
| T02-00004-0101 | Telephone Style Handset |
| T02-00005-ACAA | TM9300/9400 Desktop Microphone |

Kabeļi

| | |
|----------------|---|
| TMAA04-05 | 4m (13.12ft) Ignition Sense cable |
| TA3101-01 | Cable assembly 15W plug-15W socket Ign+IO |
| TMAA20-03 | Cable 25W Radio Power Connector to Banana Plug |
| TMAA21-02 | Cable T2000 Power Socket to TM8000 Power Plug |
| T03-00118-0601 | USB to RJ11 Serial Programming Cable |
| T02-00009-0301 | TM Aux Port 2 way breakout cable |
| T02-00034-ABAA | Cable Breakout Telemetry/Horn |
| TMAA03-44 | Cable Kit Ignition & External Alarm TAM Utility |
| TMAA04-09 | Cable Breakout Combiner Handheld Control Head |

| | |
|----------------|--|
| TMAA04-10 | Cable Breakout Extension Handheld Control Head |
| TMAA04-11 | Cable Ignition Sense Handheld Control Head |
| T02-00009-0201 | Cable Shielded 8 Core RJ45M/F Ext 1.6m (5ft) |
| T02-00009-0202 | Cable Shielded 8 Core RJ45M/F Ext 3m (10ft) |
| T02-00009-0203 | Cable Shielded 8 Core RJ45M/F Ext 6m (20ft) |
| T02-00009-0204 | Cable Shielded 8 Core RJ45M/F Ext 9m (30ft) |

Šūpulis un komplekts

| | |
|----------------|--|
| TMAA03-01 | U-Cradle Install Kit for 25W Radio BNC |
| TMAA03-06 | Desktop Power Supply U-Cradle inst Kit for 25W radio |
| TMAA03-09 | Desktop Power Supply Plinth inst Kit for 25W Radio |
| T02-00026-1002 | Kit Mobile Cable MUHF 25W |
| T02-00026-1001 | Kit Mobile Cable BNC 25W |
| TMAA11-01 | U-Cradle Re-Install Kit (x3 sets) |
| TMAA03-18 | Slide In Cradle Install Kit for 25W Radio BNC |
| TMAA03-02 | Security Cradle |
| TMAA30-06 | Internal Options Connector Kit |

Echipament radio: TM9300/TM9400
Numele și adresa producătorului: Tait International Ltd
245 Wooldridge Road
Christchurch
New Zealand

Această declarație de conformitate este emisă pe responsabilitatea exclusivă a producătorului.

Obiectul declarației: TMBH7A (450-520 MHz)
Obiectul declarației descrise mai sus este în conformitate cu legislația relevantă de armonizare a Uniunii:
2014/53/EU Radio Equipment Directive (RED)
2012/19/EU Waste Electrical and Electronic Equipment Directive (WEEE)
2011/65/EU Restriction of Hazardous Substances (RoHS)

Standarde armonizate relevante utilizate: **Directive 2014/53/EU Art. 3.2**
EN300 086 V2.1.2
EN300 113 V2.2.1
EN300 219 V2.1.1
EN300 328 V2.2.2
EN303 413 V1.1.1

Directive 2014/53/EU Art. 3.1b
EN301 489-1 V2.2.0
EN301 489-5 V2.2.0
EN301 489-17 V3.2.0
EN301489-19 V2.1.0

Directive 2014/53/EU Art. 3.1a
EN62368-1:2014+A11:2017
EN50566:2017

Descrierea accesoriilor care permit echipamentului radio să funcționeze conform destinației: Nici unul

Descrierea software-ului care permite echipamentului radio să funcționeze conform prevederilor: Software-ul instalat se află sub controlul deplin al producătorului, fără acces de către utilizator și este în conformitate cu directivele relevante.

Semnat pentru și în numele Tait International Limited:



Linda White
Standards & Regulatory Manager
Tait International Limited
Christchurch,
New Zealand
14/11/2023

Accesoriile enumerate sunt aprobate pentru utilizare cu obiectul acestei declarații.

„x” indică diferite aprobări de reglementare, furnizori și/sau mărci.

| Numărul piesei | Descriere (doar pentru informare) |
|---------------------------|--|
| Cutia de interfață | |
| T02-00088-BAAA | TM93/94 Hand Held Control Head Interface Box |
| T02-00088-AAAA | TM93/94 Control Head Interface Box (Power/Dual Head) |
| T02-00088-CAAA | TM93/94 Remote Control Head Extender Unit |

Accesoriile conectate la conectorul capului de control

| | |
|----------------|---|
| T02-00071-xxxx | TM9300/TM9400 Large Control Head Local Black |
| T02-00076-Axxx | TM9300/TM9400 Small Control Head Local Black (two digit low tier version) |
| T02-00076-Bxxx | TM9300/TM9400 Small Control Head Local Black (three digit low tier version) |
| T02-00081-AAAA | TM93/94 Control Head Remote Body End Multi Head Terminated+Bias |
| T02-00081-BAAA | TM93/94 Control Head Remote Body End Multi Body Terminated+Bias |
| T02-00081-BBAA | TM93/94 Control Head Remote Body End Multi Body Term No Bias |
| T02-00092-xxxx | TCH3 Local Control Head 8Ky |
| T02-00094-xxxx | TCH4 Remote Control Head 9Ky |
| T02-00096-xxxx | TCH6 Remote Control Head 21Ky |

Accesoriile pentru capul de control mare

| | |
|----------------|--|
| T02-00083-AAAA | TM93/94 Large Control Head Remote Head End Terminated |
| T02-00083-ABAA | TM93/94 Large Control Head Remote Head End Un-Terminated |

Accesoriile conectate la cutia de interfață a capului de control portabil

| | |
|----------------|---|
| T02-00073-xxxx | TM9300/TM9400 Hand Held Control Head |
| TMAA10-10 | Remote PTT+ Microphone for Handheld Control Head Breakout Box |

Accesoriile pentru terminalele difuzoarelor

| | |
|----------------|---|
| TMAA10-03A | 10W External Speaker for 25W Radio Unbadged |
| T02-00004-0206 | 15W TM Rugged speaker |
| T02-00004-0201 | TM Horn Speaker Kit 112dB SPL For 25W Radio |

Accesoriile conectate la conectorul axilar

| | |
|----------------|--|
| T02-00005-ADCA | TM9300/9400 Remote PTT + Microphone |
| T02-00005-ADAA | TM Handsfree |
| TMAA05-01 | 16HVS GPS Receiver by Garmin or equivalent alternative |
| TMAA05-05 | GPS receiver DB15 Wisys WS5012 |
| TMAA05-06 | GPS receiver DB15 Through hole mount |

| | |
|----------------|---|
| T02-00025-1001 | GPS receiver by F-tech or equivalent alternative |
| T02-00025-1002 | GPS receiver Thru-hole mount by Tallysman or equivalent alternative |
| T02-00025-1003 | GPS receiver Mag-mount by Tallysman or equivalent alternative |

Accesorii conectate la conectorul opțiunilor interne

| | |
|----------------|--|
| T02-00007-ABAA | TM Line Interface Board TDMA |
| T02-00007-BAAA | TM RS232 Interface Board TDMA |
| XA3140-01-PBA | PBA Vehicle PA Options Board |
| XA3140-21-PBA | PBA TA3140 Desktop Dual Unbalanced Board |
| XA3140-23-PBA | PBA TA3140 Desktop Balanced Audio plus Headset |
| TA3140-07 | Rx Low pass filter board |
| XA3140-07-PBA | PBA TA3140 desktop Balanced Audio Headset Receiver LPF |
| XA3423-01-PBA | PBA TMB enhanced iBus + I/F |
| XA3290-01-PBA | PBA ACC board line interface TDMA Raytheon |
| XMAA01-0100AC | PBA TMA line interface w/o PTT delay RS422 |
| XMAA01-0100AD | PBA TMA line interface w/o PTT delay Lothian |
| XA2675-02-PBA | PBA TM8K Dublin Bus RS-485 Interface |

Accesorii conectate la portul microfon al capului de control/telecomandă sau cutiei de interfață

| | |
|----------------|--------------------------------------|
| T02-00005-AAAA | TM9300/9400 Standard Microphone TDMA |
| T02-00005-AAAB | TM Standard Microphone TDMA Unbadged |
| T02-00005-ABAA | TM9300/9400 Keypad Microphone TDMA |
| T02-00005-ABBA | TM Keypad Microphone TDMA 3m Cord |
| T02-00005-ABAB | TM Keypad Microphone TDMA Unbadged |
| T02-00004-0101 | Telephone Style Handset |
| T02-00005-ACAA | TM9300/9400 Desktop Microphone |

Cabluri

| | |
|----------------|---|
| TMAA04-05 | 4m (13.12ft) Ignition Sense cable |
| TA3101-01 | Cable assembly 15W plug-15W socket Ign+IO |
| TMAA20-03 | Cable 25W Radio Power Connector to Banana Plug |
| TMAA21-02 | Cable T2000 Power Socket to TM8000 Power Plug |
| T03-00118-0601 | USB to RJ11 Serial Programming Cable |
| T02-00009-0301 | TM Aux Port 2 way breakout cable |
| T02-00034-ABAA | Cable Breakout Telemetry/Horn |
| TMAA03-44 | Cable Kit Ignition & External Alarm TAM Utility |
| TMAA04-09 | Cable Breakout Combiner Handheld Control Head |

| | |
|----------------|--|
| TMAA04-10 | Cable Breakout Extension Handheld Control Head |
| TMAA04-11 | Cable Ignition Sense Handheld Control Head |
| T02-00009-0201 | Cable Shielded 8 Core RJ45M/F Ext 1.6m (5ft) |
| T02-00009-0202 | Cable Shielded 8 Core RJ45M/F Ext 3m (10ft) |
| T02-00009-0203 | Cable Shielded 8 Core RJ45M/F Ext 6m (20ft) |
| T02-00009-0204 | Cable Shielded 8 Core RJ45M/F Ext 9m (30ft) |

Leagan si trusa

| | |
|----------------|--|
| TMAA03-01 | U-Cradle Install Kit for 25W Radio BNC |
| TMAA03-06 | Desktop Power Supply U-Cradle inst Kit for 25W radio |
| TMAA03-09 | Desktop Power Supply Plinth inst Kit for 25W Radio |
| T02-00026-1002 | Kit Mobile Cable MUHF 25W |
| T02-00026-1001 | Kit Mobile Cable BNC 25W |
| TMAA11-01 | U-Cradle Re-Install Kit (x3 sets) |
| TMAA03-18 | Slide In Cradle Install Kit for 25W Radio BNC |
| TMAA03-02 | Security Cradle |
| TMAA30-06 | Internal Options Connector Kit |

Radijska oprema: TM9300/TM9400
Ime in naslov proizvajalca: Tait International Ltd
245 Wooldridge Road
Christchurch
New Zealand

Ta izjava o skladnosti je izdana na izključno odgovornost proizvajalca.

Predmet deklaracije: TMBH7A (450-520 MHz)
Predmet zgoraj opisane izjave je v skladu z 2014/53/EU Radio Equipment Directive (RED)
ustrezno harmonizacijsko zakonodajo Unije: 2012/19/EU Waste Electrical and Electronic Equipment Directive (WEEE)
2011/65/EU Restriction of Hazardous Substances (RoHS)

Uporabljeni ustrezni harmonizirani standardi: **Directive 2014/53/EU Art. 3.2**

EN300 086 V2.1.2
EN300 113 V2.2.1
EN300 219 V2.1.1
EN300 328 V2.2.2
EN303 413 V1.1.1

Directive 2014/53/EU Art. 3.1b

EN301 489-1 V2.2.0
EN301 489-5 V2.2.0
EN301 489-17 V3.2.0
EN301489-19 V2.1.0

Directive 2014/53/EU Art. 3.1a

EN62368-1:2014+A11:2017
EN50566:2017

Opis dodatkov, ki omogočajo radijska oprema za delovanje namenjen: Noben

Opis programske opreme, ki omogoča radijska oprema za delovanje namenjen: Nameščena programska oprema je pod popolnim nadzorom proizvajalca brez dostopa uporabnika in je v skladu z ustreznimi direktivami.

Podpisan za in v imenu Tait International Limited:



Linda White
Standards & Regulatory Manager
Tait International Limited
Christchurch,
New Zealand
14/11/2023

Navedena dodatna oprema je odobrena za uporabo s predmetom te izjave.

'x' označuje različne regulativne odobritve, dobavitelje in/ali blagovno znamko.

| Številka dela | Opis (samo informativno) |
|-------------------------|--|
| Vmesniška škatla | |
| T02-00088-BAAA | TM93/94 Hand Held Control Head Interface Box |
| T02-00088-AAAA | TM93/94 Control Head Interface Box (Power/Dual Head) |
| T02-00088-CAAA | TM93/94 Remote Control Head Extender Unit |

Dodatki, priključeni na konektor krmilne glave

| | |
|----------------|---|
| T02-00071-xxxx | TM9300/TM9400 Large Control Head Local Black |
| T02-00076-Axxx | TM9300/TM9400 Small Control Head Local Black (two digit low tier version) |
| T02-00076-Bxxx | TM9300/TM9400 Small Control Head Local Black (three digit low tier version) |
| T02-00081-AAAA | TM93/94 Control Head Remote Body End Multi Head Terminated+Bias |
| T02-00081-BAAA | TM93/94 Control Head Remote Body End Multi Body Terminated+Bias |
| T02-00081-BBAA | TM93/94 Control Head Remote Body End Multi Body Term No Bias |
| T02-00092-xxxx | TCH3 Local Control Head 8Ky |
| T02-00094-xxxx | TCH4 Remote Control Head 9Ky |
| T02-00096-xxxx | TCH6 Remote Control Head 21Ky |

Dodatki k veliki krmilni glavi

| | |
|----------------|--|
| T02-00083-AAAA | TM93/94 Large Control Head Remote Head End Terminated |
| T02-00083-ABAA | TM93/94 Large Control Head Remote Head End Un-Terminated |

Dodatki, priključeni na vmesniško omarico ročne krmilne glave

| | |
|----------------|---|
| T02-00073-xxxx | TM9300/TM9400 Hand Held Control Head |
| TMAA10-10 | Remote PTT+ Microphone for Handheld Control Head Breakout Box |

Dodatki za terminale zvočnikov

| | |
|----------------|---|
| TMAA10-03A | 10W External Speaker for 25W Radio Unbadged |
| T02-00004-0206 | 15W TM Rugged speaker |
| T02-00004-0201 | TM Horn Speaker Kit 112dB SPL For 25W Radio |

Dodatki, povezani z aksilarnim priključkom

| | |
|----------------|--|
| T02-00005-ADCA | TM9300/9400 Remote PTT + Microphone |
| T02-00005-ADAA | TM Handsfree |
| TMAA05-01 | 16HVS GPS Receiver by Garmin or equivalent alternative |
| TMAA05-05 | GPS receiver DB15 Wisys WS5012 |
| TMAA05-06 | GPS receiver DB15 Through hole mount |

| | |
|----------------|---|
| T02-00025-1001 | GPS receiver by F-tech or equivalent alternative |
| T02-00025-1002 | GPS receiver Thru-hole mount by Tallysman or equivalent alternative |
| T02-00025-1003 | GPS receiver Mag-mount by Tallysman or equivalent alternative |

Dodatki, priključeni na konektor za notranje možnosti

| | |
|----------------|--|
| T02-00007-ABAA | TM Line Interface Board TDMA |
| T02-00007-BAAA | TM RS232 Interface Board TDMA |
| XA3140-01-PBA | PBA Vehicle PA Options Board |
| XA3140-21-PBA | PBA TA3140 Desktop Dual Unbalanced Board |
| XA3140-23-PBA | PBA TA3140 Desktop Balanced Audio plus Headset |
| TA3140-07 | Rx Low pass filter board |
| XA3140-07-PBA | PBA TA3140 desktop Balanced Audio Headset Receiver LPF |
| XA3423-01-PBA | PBA TMB enhanced iBus + I/F |
| XA3290-01-PBA | PBA ACC board line interface TDMA Raytheon |
| XMAA01-0100AC | PBA TMA line interface w/o PTT delay RS422 |
| XMAA01-0100AD | PBA TMA line interface w/o PTT delay Lothian |
| XA2675-02-PBA | PBA TM8K Dublin Bus RS-485 Interface |

Dodatki, priključeni na vrata za mikrofona na upravljalni/daljinski glavi ali vmesniški omarici

| | |
|----------------|--------------------------------------|
| T02-00005-AAAA | TM9300/9400 Standard Microphone TDMA |
| T02-00005-AAAB | TM Standard Microphone TDMA Unbadged |
| T02-00005-ABAA | TM9300/9400 Keypad Microphone TDMA |
| T02-00005-ABBA | TM Keypad Microphone TDMA 3m Cord |
| T02-00005-ABAB | TM Keypad Microphone TDMA Unbadged |
| T02-00004-0101 | Telephone Style Handset |
| T02-00005-ACAA | TM9300/9400 Desktop Microphone |

Kabli

| | |
|----------------|---|
| TMAA04-05 | 4m (13.12ft) Ignition Sense cable |
| TA3101-01 | Cable assembly 15W plug-15W socket Ign+IO |
| TMAA20-03 | Cable 25W Radio Power Connector to Banana Plug |
| TMAA21-02 | Cable T2000 Power Socket to TM8000 Power Plug |
| T03-00118-0601 | USB to RJ11 Serial Programming Cable |
| T02-00009-0301 | TM Aux Port 2 way breakout cable |
| T02-00034-ABAA | Cable Breakout Telemetry/Horn |
| TMAA03-44 | Cable Kit Ignition & External Alarm TAM Utility |
| TMAA04-09 | Cable Breakout Combiner Handheld Control Head |

| | |
|----------------|--|
| TMAA04-10 | Cable Breakout Extension Handheld Control Head |
| TMAA04-11 | Cable Ignition Sense Handheld Control Head |
| T02-00009-0201 | Cable Shielded 8 Core RJ45M/F Ext 1.6m (5ft) |
| T02-00009-0202 | Cable Shielded 8 Core RJ45M/F Ext 3m (10ft) |
| T02-00009-0203 | Cable Shielded 8 Core RJ45M/F Ext 6m (20ft) |
| T02-00009-0204 | Cable Shielded 8 Core RJ45M/F Ext 9m (30ft) |

Zibelka in komplet

| | |
|----------------|--|
| TMAA03-01 | U-Cradle Install Kit for 25W Radio BNC |
| TMAA03-06 | Desktop Power Supply U-Cradle inst Kit for 25W radio |
| TMAA03-09 | Desktop Power Supply Plinth inst Kit for 25W Radio |
| T02-00026-1002 | Kit Mobile Cable MUHF 25W |
| T02-00026-1001 | Kit Mobile Cable BNC 25W |
| TMAA11-01 | U-Cradle Re-Install Kit (x3 sets) |
| TMAA03-18 | Slide In Cradle Install Kit for 25W Radio BNC |
| TMAA03-02 | Security Cradle |
| TMAA30-06 | Internal Options Connector Kit |

Rádiové vybavenie: TM9300/TM9400
Meno a adresa výrobcu: Tait International Ltd
245 Wooldridge Road
Christchurch
New Zealand

Toto vyhlásenie o zhode sa vydáva na výhradnú zodpovednosť výrobcu.

Predmet vyhlásenia: TMBH7A (450-520 MHz)
Predmet vyhlásenia opísaného vyššie je v súlade s 2014/53/EU Radio Equipment Directive (RED)
príslušnými harmonizačnými právnymi predpismi Únie: 2012/19/EU Waste Electrical and Electronic Equipment Directive (WEEE)
2011/65/EU Restriction of Hazardous Substances (RoHS)

Použité príslušné harmonizované normy: **Directive 2014/53/EU Art. 3.2**
EN300 086 V2.1.2
EN300 113 V2.2.1
EN300 219 V2.1.1
EN300 328 V2.2.2
EN303 413 V1.1.1

Directive 2014/53/EU Art. 3.1b
EN301 489-1 V2.2.0
EN301 489-5 V2.2.0
EN301 489-17 V3.2.0
EN301489-19 V2.1.0

Directive 2014/53/EU Art. 3.1a
EN62368-1:2014+A11:2017
EN50566:2017

Popis príslušenstva, ktoré umožňuje rádiové zariadenie, ktoré má fungovať ako určené:

žiadne

Popis softvéru, ktorý umožňuje rádiové zariadenie, ktoré má fungovať ako určené:

Nainštalovaný softvér je pod plnou kontrolou výrobcu bez prístupu používateľa a je v súlade s príslušnými smernicami.

Podpísané za av mene Tait International Limited:



Linda White
Standards & Regulatory Manager
Tait International Limited
Christchurch,
New Zealand
14/11/2023

Uvedené príslušenstvo je schválené na použitie s predmetom tohto vyhlásenia.

„x“ označuje rôzne regulačné schválenia, dodávateľov a/alebo značku.

| Číslo dielu | Popis (len pre informáciu) |
|----------------------|--|
| Rozhranie box | |
| T02-00088-BAAA | TM93/94 Hand Held Control Head Interface Box |
| T02-00088-AAAA | TM93/94 Control Head Interface Box (Power/Dual Head) |
| T02-00088-CAAA | TM93/94 Remote Control Head Extender Unit |

Príslušenstvo pripojené ku konektoru riadiacej hlavy

| | |
|----------------|---|
| T02-00071-xxxx | TM9300/TM9400 Large Control Head Local Black |
| T02-00076-Axxx | TM9300/TM9400 Small Control Head Local Black (two digit low tier version) |
| T02-00076-Bxxx | TM9300/TM9400 Small Control Head Local Black (three digit low tier version) |
| T02-00081-AAAA | TM93/94 Control Head Remote Body End Multi Head Terminated+Bias |
| T02-00081-BAAA | TM93/94 Control Head Remote Body End Multi Body Terminated+Bias |
| T02-00081-BBAA | TM93/94 Control Head Remote Body End Multi Body Term No Bias |
| T02-00092-xxxx | TCH3 Local Control Head 8Ky |
| T02-00094-xxxx | TCH4 Remote Control Head 9Ky |
| T02-00096-xxxx | TCH6 Remote Control Head 21Ky |

Príslušenstvo k veľkej ovládacej hlave

| | |
|----------------|--|
| T02-00083-AAAA | TM93/94 Large Control Head Remote Head End Terminated |
| T02-00083-ABAA | TM93/94 Large Control Head Remote Head End Un-Terminated |

Príslušenstvo pripojené k ručnému ovládaciemu panelu rozhrania

| | |
|----------------|---|
| T02-00073-xxxx | TM9300/TM9400 Hand Held Control Head |
| TMAA10-10 | Remote PTT+ Microphone for Handheld Control Head Breakout Box |

Príslušenstvo k reproduktorovým terminálom

| | |
|----------------|---|
| TMAA10-03A | 10W External Speaker for 25W Radio Unbadged |
| T02-00004-0206 | 15W TM Rugged speaker |
| T02-00004-0201 | TM Horn Speaker Kit 112dB SPL For 25W Radio |

Príslušenstvo pripojené k axilárnej spojke

| | |
|----------------|--|
| T02-00005-ADCA | TM9300/9400 Remote PTT + Microphone |
| T02-00005-ADAA | TM Handsfree |
| TMAA05-01 | 16HVS GPS Receiver by Garmin or equivalent alternative |
| TMAA05-05 | GPS receiver DB15 Wisys WS5012 |
| TMAA05-06 | GPS receiver DB15 Through hole mount |

| | |
|----------------|---|
| T02-00025-1001 | GPS receiver by F-tech or equivalent alternative |
| T02-00025-1002 | GPS receiver Thru-hole mount by Tallysman or equivalent alternative |
| T02-00025-1003 | GPS receiver Mag-mount by Tallysman or equivalent alternative |

Príslušenstvo pripojené ku konektoru interných doplnkov

| | |
|----------------|--|
| T02-00007-ABAA | TM Line Interface Board TDMA |
| T02-00007-BAAA | TM RS232 Interface Board TDMA |
| XA3140-01-PBA | PBA Vehicle PA Options Board |
| XA3140-21-PBA | PBA TA3140 Desktop Dual Unbalanced Board |
| XA3140-23-PBA | PBA TA3140 Desktop Balanced Audio plus Headset |
| TA3140-07 | Rx Low pass filter board |
| XA3140-07-PBA | PBA TA3140 desktop Balanced Audio Headset Receiver LPF |
| XA3423-01-PBA | PBA TMB enhanced iBus + I/F |
| XA3290-01-PBA | PBA ACC board line interface TDMA Raytheon |
| XMAA01-0100AC | PBA TMA line interface w/o PTT delay RS422 |
| XMAA01-0100AD | PBA TMA line interface w/o PTT delay Lothian |
| XA2675-02-PBA | PBA TM8K Dublin Bus RS-485 Interface |

Príslušenstvo pripojené k portu mikrofónu ovládacej/diaľkovej hlavice alebo skrinky rozhrania

| | |
|----------------|--------------------------------------|
| T02-00005-AAAA | TM9300/9400 Standard Microphone TDMA |
| T02-00005-AAAB | TM Standard Microphone TDMA Unbadged |
| T02-00005-ABAA | TM9300/9400 Keypad Microphone TDMA |
| T02-00005-ABBA | TM Keypad Microphone TDMA 3m Cord |
| T02-00005-ABAB | TM Keypad Microphone TDMA Unbadged |
| T02-00004-0101 | Telephone Style Handset |
| T02-00005-ACAA | TM9300/9400 Desktop Microphone |

Káble

| | |
|----------------|---|
| TMAA04-05 | 4m (13.12ft) Ignition Sense cable |
| TA3101-01 | Cable assembly 15W plug-15W socket Ign+IO |
| TMAA20-03 | Cable 25W Radio Power Connector to Banana Plug |
| TMAA21-02 | Cable T2000 Power Socket to TM8000 Power Plug |
| T03-00118-0601 | USB to RJ11 Serial Programming Cable |
| T02-00009-0301 | TM Aux Port 2 way breakout cable |
| T02-00034-ABAA | Cable Breakout Telemetry/Horn |
| TMAA03-44 | Cable Kit Ignition & External Alarm TAM Utility |
| TMAA04-09 | Cable Breakout Combiner Handheld Control Head |

| | |
|----------------|--|
| TMAA04-10 | Cable Breakout Extension Handheld Control Head |
| TMAA04-11 | Cable Ignition Sense Handheld Control Head |
| T02-00009-0201 | Cable Shielded 8 Core RJ45M/F Ext 1.6m (5ft) |
| T02-00009-0202 | Cable Shielded 8 Core RJ45M/F Ext 3m (10ft) |
| T02-00009-0203 | Cable Shielded 8 Core RJ45M/F Ext 6m (20ft) |
| T02-00009-0204 | Cable Shielded 8 Core RJ45M/F Ext 9m (30ft) |

Kolíska a súprava

| | |
|----------------|--|
| TMAA03-01 | U-Cradle Install Kit for 25W Radio BNC |
| TMAA03-06 | Desktop Power Supply U-Cradle inst Kit for 25W radio |
| TMAA03-09 | Desktop Power Supply Plinth inst Kit for 25W Radio |
| T02-00026-1002 | Kit Mobile Cable MUHF 25W |
| T02-00026-1001 | Kit Mobile Cable BNC 25W |
| TMAA11-01 | U-Cradle Re-Install Kit (x3 sets) |
| TMAA03-18 | Slide In Cradle Install Kit for 25W Radio BNC |
| TMAA03-02 | Security Cradle |
| TMAA30-06 | Internal Options Connector Kit |